
PART II

ANNELIDA, ECHIURA, SIPUNCULA

COMPILED BY

R. W. SIMS, B.Sc.



ANNELIDA, ECHIURA, SIPUNCULA

TITLES

Abbott, W. & Awapara, J. Sulfur metabolism in the lugworm, Arenicola cristata Stimpson, Biol. Bull. Woods Hole 119 1960: 357-370 3 figs.

Abdel-Fattah, R. F. see Rushdi Fattouh Abdel-Fattah.

Abeloos, M. & Thouveny, Y. Conditions histologique de la régénération chez l'annelide Magalia perarmata Marion et Bobr. C.R. Acad. Sci. Paris 250 1960: 3736-3737.

Abraham, A. & Minker, E. Über die innervation des Darmkanales des medizinischen Blutegels (Hirudo medicinalis L.). Z. Zellforsch. 47 1958: 367-391 15 figs.

Aitken, J. J. Revised list of Aphroditidae (Polychaeta) from Strangford Lough and neighbouring coasts. Irish Nat. J. 13: 272.

Akesson, B. The development of Golfingia elongata Keferstein (Sipunculidae) with some remarks on the development of neurosecretory cells in sipunculids. Ark. Zool. 13 (6): 511-531 11 figs.

Allanson, B. R. & Gieskes, J. M. T. M. Investigations into the ecology of polluted inland waters in the Transvaal. Part I-II. Hydrobiologia 18: 1-94 47 pls.

Allen, M. J. (1). The breeding of polychaetous annelids near Parguera, Puerto Rico. Biol. Bull. Woods Hole 113 1957: 49-57.

Allen, M. J. (2). A cytochemical study of the developing oocytes and attached nurse cells of the polychaetous annelid *Diopatra cuprea* (Bosc). Acta Embryol. Morph. Exp. 4: 219-238 20 figs.

Allen, M. J. (3) Histochemical observations on the early developmental stages of the polychaete, *Arenicola claparedii*. Amer. Zool. 1: 337.

Amoureux, L. Étude du pH, de l'oxygéneration et de la chlorinité dans le ruisseau de l'Aber de Roscoff, en liaison avec le peuplement par divers Polychètes. C.R. Acad. Sci. Paris 250 1960: 208-210.

Anderson, D. T. The development of the Polychaete Haploscoloplos fragilis. Quart. J. micr. Sci. 102: 257-272 3 figs.

Andrássy, I. Troglochaetus beranecki Delachaux, ein Repräsentant der für die Fauna Ungarns neuen Tierklasse Archiannelida. Ann. hist. nat. Mus. hung. N.S. 7 1956: 371–375 1 fig.

André, F. Démonstration expérimentale de l'autofertilité chez le Lombricien Eisenia foetida Sav. C.R. Acad. Sci. Paris 253: 3096-3097.

Aros, B. & Vigh, B. (1). Neuro-secretory changes in the nervous system of *Lumbricus rubellus* Hoffm. provoked by various experimental influences. Acta biol. Acad. Sci. hung. 12: 87–98 11 figs.

Aros, B. & Vigh, B. (2). Neurosecretory activity of the centrol and peripheral nervous system in the earthworm. Acta biol. Acad. Sci. hung. 12: 169-186 22 figs.

Atputhanathan, M. Observations on bioluminescence of a marine worm, Odontosyllis gravelyi Fauvel, off Point Pedro. Proc. Ceylon Ass. Adv. Sci. 17: 26.

Autrum, H. Hirudinea, Egel. Tierwelt Mitteleur. I Bd., Lief. 76 [? 1960]: 1-30 56 figs.

Avel, M. L'influence du système nerveux sur la régénération chez les urodèles et les oligochètes. Bull. Soc. zool. Fr. 86 (6) [1962]: 464-483 14 figs.

Awapara, J. see Abbott, W.

Bacci, G. & Bortesi, O. (1). Existence of multiple sex genotypes in the hermaphrodite polychaete worm Ophryotrocha puerilis Siberti. Nature, Lond. 191: 838.

Bacci, G. & Bortesi, O. (2). Pure males and females from hermaphroditic strains of Ophryotrocha puerilis. Experientia 17 5: 229–230 4 figs.

Băcescu, M., Serpioanu, N. et al. Études physicochimiques et biologique en Mer noire. I. Littoral roumain, secteur est Constantza, entre les parallèles 44°10' et 43°49' de 50 A 200 M de profondeur. Rapp. Comm. int. Mer Medit. 15 (2) 1960: 55-64 2 figs.

Badarany, N. Organisation ultramicroscopique de la membrane nucléaire de la spermatide de la Sangsue (Hirudo medicinalis). C.R. Acad. Sci. Paris 253: 1127–1129 9 figs.

Balasubrahmanyan, K. (1). Studies in the ecology of the Vellar Estuary: I. A preliminary survey of the estuarine bottom and its fauna conducted on 11-9-59. J. zool. Soc. India 12 1960: 209-215.

Balasubrahmanyan, K. (2). Cossura delta Reish (Polychaeta) from the Vellar Estuary. J. mar. biol. Ass. India 2: 264–265.

Banse, K. (1). Fabricia acuseta n. sp., Fabriciola ghardaga n. sp. und Oriopsis armandi (Claparède) aus dem Roten Meer (Sabellidae, Polychaeta). Kieler Meeresforsch. 15 1959: 113-116 3 figs.

Banse, K. (2). Polychaeten aus Rovinj (Adria). Zool. Anz. 162 1959: 295-313.

Batchelor, D. M. Leeches and amphibian blood. Malay. Nat. J. 15: 71.

Beatty, I. M., Ennor, A. H. & Magrath, D. I. Synthesis of N-phosphoryl-D and L-lombricine. Nature, Lond. 188 1960: 1026-1027.

Beatty, I. M., Ennor, A. H., Rosenberg, H. & Magrath, D. I. The configuration of the serine moiety of lombricine and reptilian serine ethanolamine phosphodiester. J. biol. Chem. 236: 1028-1031.

Beatty, I. M. see Ennor, A. H.

Bellan, G. (1). Annelides polychetes. Res. sci. Camp, FAIAL No. 2 1957: 1–31. See Rec. Trav. Sta. mar. Endoume No. 33 1961.

Bellan, G. (2). Annelides polychètes récoltees au cours de su IIe Campagne Mediterrannéene par a "Président Théodore-Tissier". Rec. Trav. Inst. Pêch. marit. 24 1960 : 273–292 4 figs. See Rec. Trav. Sta. mar. Endoume No. 35 1961.

Bellan, G. (3). Résultats scientifiques des campagnes de la "Calypso". XVI. Campagne 1955 en Méditerranée Nord-Orientale. 4. Annélides polychètes. Ann. Inst. Oceanogr. Paris N.S. 39: 161-178.

Bellan, G. (4). Contribution a l'étude de l'Annélide polychète *Ophelia bicornis* Savigny 1920. Rapp. Comm. int. Mer Medit. 16: 533-550 4 figs. Bellan, G. & others (5). Distribution et particularités des peuplements benthiques de l'étage circalittoral des parages de Bonifacio (Corse). Rapp. Comm. int. Mer Medit. 16: 523-527 2 figs.

Bellan, G. (6). Résultats scientifiques des Campagnes de la "Calypso". XVIII. Campagne de la Calypso dans le golfe du Gênes (1957). 3. Annelides polychètes. Ann. Inst. Oceanogr. Paris N.S. 39: 263-268.

Bénard, F. La faunule associée au Lithophyllum incrustans Phyl des cuvettes de la région de Roscoff. Cahiers Biol. Mar. 1 1960 : 89-102.

Benes, J. Zur Kenntnis der Regenwürmer (Lumbriciden) aus dem Vihorlatgebirge. Biológia, Bratislava 16: 195-201 2 figs. [Czech.: Russian & German summaries].

Berekeley, E. Swarming of the polychaete Odontosyllis phosphorea Moore, var. nanaimoensis Berkeley, near Nanaimo, B.C. Nature, Lond. 191: 1321.

Berkeley, G. & Berkeley, G. Some further records of pelagic polychaeta from the northeast Pacific north of Latitude 40°N. and east of Longitude 175°W., together with records of Siphonophora, Mollusca and Tunicata from the same region. Canad. J. Zool. 38 1960: 787-799.

Bessis, M. see Roche, J.

Bikhovski, R. E. [Worms (Vermes)]. Zhizn. Presnikh. Vod. S.S.S.R. 2 1949: 5-9. [In Russian].

Biserta, G. see Holleman, J. W.

Blount, R. W. see Flickinger, R. A.

Boaden, P. J. S. Meganerilla swedmarki nov. gen., nov. spec., an Archiannelid of the family Nerillidae. Ark. Zool. 13 (6): 553-559 3 figs.

Bogatyrev, I. O. see Peredel'skii, A. A. et al.

Boilly, B. Contribution à l'étude de la régénération antérieure chez Eusyllis blomstrandi Malmgren (Annélide Polychète). Bull. Soc. 2001. Fr. 86: 216-229.

Bois-Reymond Marcus, E. du. Notes on the freshwater polychaete *Lycastopsis* from Curaçao in Hummelinck, P. W., Ed., Studies on the fauna of Curaçao & other Caribbean Islands 10. The Hague (Nijhoff) 1960: 58-63.

Bortesi, O. see Bacci, G.

Boulot, M. & Gallissian, A. Diapauses spontanée et provoquée chez le Lumbricide Eophila dollfusi Tétry. C.R. Acad. Sci. Paris 250 1960: 3403-3404.

Bradbury, S. & Meek, G. A. The fine structure of the adipose cell of the leech Glossiphonia complanata. J. biophys. & biochem. Cytol. 4 1958: 603-608 4 pls.

Branson, B. A. The leech Placobdella pediculata Hemingway parasitizing Aplodinotus grunniens in Oklahoma. Sthwest. Nat. 6: 53.

Breton-Gorius, J. see Roche, J.

Burdon-Jones, C. see Silva, P. M. D. H. de.

Burdon-Jones, C. & Tambs-Lyche, H. Observations on the fauna of the north Brattholmen stone-coral reef near Bergen. Univ. Bergen Arb. Mat.-Nat. Sci. 1960 4 1960: 1-24.

Caballero y C., E. Hirudineos de Mexico. XXII. Taxa y nomenclatura de la Clase Hirudinea hasta generos (Neuva edición). An. Inst. biol. Mex. 30 1960 : 227–242. [English summary]. Carpelan, L. H. & Linsley, R. H. The spawning of Neanthes succines in the Salton Sea. Ecology 42: 189-190.

Carrano, F. Intorno alla distribuzione del glicogeno e dei lipidi nelle uova di *Tubifex rivalorum*. Ric. sci. 25 1955: 3049–3052 2 pls. [French, English & German summaries].

Carrano, F. & Palazzo, F. (1). Localizzazione precoce di alcuni enzimi nello svilappo dell'uovo di Tubijex rivulorum. Riv. Biol. N.S. 47 1955: 193–202 30 figs. [English summary].

Carrano, F. & Palazzo, F. (2). Localizzazione precoce di alcuni enzimi nello sviluppo dell'uovo di *Tubifex rivulorum*. R.C. Ist. sup. Sanit. 19 1956: 534–542 2 pls.

Carrie, B. G. A. VII. Notes on the counting and mounting of planktonic organisms. J. Roy. micr. Soc. 78 1959: 77-78.

Caspers, H. Beobachtungen über Lebensraum und Schwärmperiodizität des Palolowurmes Eunice viridis (Polychaeta, Eunicidae). Int. Rev. Hydrobiol. 46: 175–183 3 figs.

Chekanovskaya, V. V. [Contribution to the knowledge of oligochaeta in the basin of Dangava (western Dvina)]. Vestis 6 (95) 1955: 41-45. [In Russian].

Chernov, Yu. I. [On studying animal soil-dwellers in the arctic tundra of Yakutia.] Zool. Zh. 40 (3): 326-333.

Chittleborough, R. G. see Ealey, E. H. M.

Choquet, M. see Durchon, M.

Clark, R. B. (1). The fauna of the Clyde sea area. Polychaeta with keys to the British genera. Scottish mar. biol. Ass., Millport, 1-71.

Clark, R. B. (2). The origin and formation of heteronereis. Biol. Rev. 36: 199-236.

Clark, R. B. (3). How much can a ragworm learn? New Scient. 9: 603-605 5 figs.

Clark, R. B. & Evans, S. M. The effect of delayed brain extirpation and replacement on caudal regeneration in Nereis diversicolor. J. Embryol. exp. Morph. 9: 97-105 3 figs.

Cognetti, G. Les Syllidiens des côtes de Bretagne. Cah. Biol. mar. 2 3 : 291-311 2 figs. [Italian summary].

Colwin, L. H. & A. L. (1). Formation of sperm entry holes in the vitelline membrane of *Hydroides hexagonus* (Annelida) and evidence of their lytic origin. J. biophys. & biochem. Cytol. 7 1960: 315-320 4 pls.

Colwin, A. L. & L. H. (2). Fine structure of the spermatozoon of *Hydroides hexagonus* (Annelida), with special reference to the acrosomal region. J. biophys. & biochem. Cytol. 10: 211–230 33 figs.

Colwin, L. H. & A. L. (3). Changes in the spermatozoon during fertilization in *Hydroides hexagonus* (Annelida). I. Passage of the acrosomal region through the vitelline membrane. II. Incorporation with the egg. J. biophys. biochem. Cytol. 10: 231-254 32 figs., 255-274 25 figs.

Costen, E. see Popescu-Gorj, A.

Christensen, B. Studies on cyto-taxonomy and reproduction in the Enchytraeidae, with notes on parthenogenesis and polyploidy in the animal kingdom. Hereditas 47: 387-450 132 figs.

9_

25 an

ne

di

ne

di

42

ηd

72

n

rs

1

Cragg, J. B. Some aspects of the ecology of moorland animals. J. anim. Ecol. 30: 205-234 7 figs.

Crisp, D. J. & Ryland, J. S. Influence of filming and of surface texture on the settlement of marine organisms. Nature, Lond. 185 1960: 119.

Croce, N. D. see Della Croce, N.

Dahl, I. O. The oligochaete fauna of 3 Danish brackish water areas (taxonomic and biological observations). Medd. Danske. Fisk. Havund. N.S. 2 1960: 1-20 2 pls.

Dales, R. P. (1). A bilatrene pigment in the green terebellid polychaete *Eupolymnia heterobranchia* (Johnson). Nature, Lond. 190: 168.

Dales, R. P. (2). Occurrence of *Phyllochaetopterus* claparedii McIntosh in the north-east Pacific. Nature, Lond. 192: 1208-1209.

Dales, R. P. (3). The coelomic and peritoneal cell systems of some sabellid polychaetes. Quart. J. micr. Sci. 102: 327-346 11 figs.

Davenport, D. see Hickok, J. F.

Day, J. H. (1). The Polychaeta of Inhaca. W. Macnae & M. Kalk. Natural History of Inhaca Island, Moçambique, Johannesburg, 1958: 58-63 2 figs.

Day, J. H. (2). The polychaet fauna of South Africa. Part 6. Sedentary species dredged off Cape coasts with a few new records from the shore. J. Linn. Soc. Lond. 44: 463-560 18 figs.

Defretin, R. (1). Cytologie et cytochimie de l'encéphale des Néréidiens. C.R. Congr. Soc. Sav. No. 80 1955 : 163-166.

Defretia, R. (2). Les glandes tégumentaires de Polychètes tubicoles. Confrontation des résultats cytochimiques et de ceux fournis par l'analyse chromatographique des tubes. C.R. Congr. Soc. Sav. No. 80 1955: 167-170.

Della Croce, N. The conditions of sedimentation and their relations with oligochaeta populations of Lake Maggiore. Mem. Ist Ital. Idrobiol., suppl. 8 1955: 39-62.

Dorsett, D. A. (1). The reproduction and maintenance of *Polydora ciliata* (Johnst.) at Whitstable. J. mar. biol. Ass. U.K. 41: 383–396 8 figs.

Dorsett, D. A. (2). The behaviour of *Polydora ciliata* (Johnst.). Tube-building and burrowing. J. mar. biol. Ass. U.K. 41: 577-590 10 figs.

Dougherty, E. C. & Solberg, B. (1). Monoxenic cultivation of an enchytraeid annelid. Nature, Lond. 186 1960: 1067-1068.

Dougherty, E. C. & Solberg, B. (2). Axenic cultivation of an enchytraeid annelid. Nature, Lond. 192: 184-185.

Dragoli, A. L. Peculiar feeding habits in the Black Sea polychaete *Melinna palmata* Grube. Dokl. Akad. Nauk S.S.R. (Transl.) Biol. Sci. **138**: 534-536 4 figs. [Russian issue **138**: 970-].

Dubash, P. J. see Tembe, V. B.

Dunham, P. B. see Steinbach, H. B.

Durchon, M. (1). Influence du cerveau sur les processus de régénération caudale chez les néréidiens (Annélides Polychètes). Arch. Zool. exp. gén. Notes et Rev. 94 No. 1 1956 : 1-9.

Durchon, M. (2). Homogreffes chez des Néréidiens (Annélides Polychètes). C.R. Soc. Biol. Paris 154 1960: 2082-2084 2 figs.

Durchon, M. (3). L'endocrinologie chez les annélides polychètes. Bull. Soc. zool. Fr. 85 : 275-301 19 figs.

Durchon, M. & Choquet, M. Inhibition de l'épitoquie naturelle chez Perinereis cultrifera Grube (Annélide Polychète). C.R. Soc. Biol. Paris 185: 504-506 2 figs.

Ealey, E. H. M. & Chittleborough, R. G. Plankton, hydrology and marine fouling at Heard Island. Interim Rep. Aust. nat. Antarct. Exped. No. 15 1956: 1-81 20 figs.

Edmonds, S. J. (1). Sipunculids from New Zealand and the Chatham Islands. Bull. N.Z. Dept. sci. industr. Res. No. 139 4 1960: 159–167 3 pls. 8 figs.

Edmonds, S. J. (2). On Sipunculus aeneus Baird (Sipunculoidea). Ann. Mag. nat. Hist. 13 Ser. 4 (40): 217-220 2 figs.

Ennor, A. H., Rosenberg, H., Rossiter, R. J., Beatty, I. M. & Gaffney, T. Isolation and characterization of D-serine ethanolamine phosphodiester from earthworms. Biochem. J. 75 1960: 179–182 4 figs.

Ennor, A. H. see Beatty, I. M.

Ennor, A. H. see Rosenberg, H.

Ennor, A. H. see Rossiter, R. J.

Ennor, A. H. see Schneider, T. J. et al.

Epshtein, V. N. (1). The systematic position, life history and origin of the endemic Baikal leech *Trachebdella troquata* [sic] Grube. Dokl. Akad. Nauk S.S.S.R. 125 4 1959: 935-937 l fig.

Epshtein, V. M. (2). The external morphology, life history and systematic position of the endemic Baikal leech Codonobdella truncata Grube. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 139: 734-736 l fig. [Russian issue 139: 1008-].

Epstein, V. M. (3). A new species of leech, *Pisciola fadejewi* n. sp., and some suppositions as to the origin of this species. Dopovid. Akad. Nauk Ukr. R.S.R. 12: 1644–1648 2 figs. [Russian & English summaries].

Epshtein, V. M. see Lukin, E. I.

Evans, K. J. A record of the oligochaete Branchiura souverbyi from Oklahoma. Sthwest. Nat. 3 1-4 1959: 223-224.

Evans, S. M. see Clark, R. B.

Fernando, C. H. see Sharma, R. E.

Ferrari, G. Consumo di ossigeno nella cute di alcune specie di irudinei. Boll. Soc. ital. Biol. sper. 33 10-11 1957: 1453-1454.

Filatova, Z. A. & Levenstein, R. J. [Quantitative distribution of deep sea bottom fauna in the northeastern Pacific.] Trud. Inst. Okeanol. 45: 190-213 10 figs. [English summary].

Flickinger, R. A. & Blount, R. W. The relation of natural and imposed electrical potentials and respiratory gradients to morphogenesis. J. cell. comp. Physiol. 50 1957: 403-422.

Forster, G. R. An underwater survey on the Lulworth Banks. J. mar. biol. Ass. U.K. 41: 157-160 l fig.

Franzen, A. On spermiogenesis, morphology of the spermatozoon, and biology of fertilization among invertebrates. Zool. Bidr. Uppsala 31 1956: 355-482 6 pls. 223 figs.

Fujü, S. & Isaka, S. The method of narcotization from the sea-anemone, Anthopleura xanthogrammica and the echiuroid, Urechis unicinctus. J. Coll. Arts Sci. Chiba Univ. Nat. Sci. Ser. 2 2 1957: 235–238 2 figs.

Füller, H. Tiergeographisch-ökologische Untersuchungen über die Lumbriciden des mittleren Saaletales. Wiss. Zeit. Friedrich-Schiller Univ. Jena, 1952/ 53 1953: 51-60.

Gaffney, T. see Ennor, A. H.

Gaffney, T., see Rossiter, R. J.

Gallissian, A. see Boulot, M.

Gansen, P. Semal-van, see Semal-van Gansen, P.

Gates, G. E. (1). Earthworms. Nat. Hist. Rennell Is. 2 1957: 7-23.

Gates, G. E. (2). On a species of the Indian earthworm genus *Eudichogaster* (Octochaetidae). Ann. Mag. nat. Hist. Ser. 13 3: 645-655.

Gates, G. E. (3). On some Burmese and Indian earthworms of the family Acanthodrilidae. Ann. Mag. nat. Hist. ser. 13 4: 417–429.

Gates, G. E. (4). Normal heteromorphism in earthworms. Amer. midl Nat. 65: 40-43.

Gates, G. E. (5). Ecology of some earthworms with special reference to seasonal activity. Amer. midl. Nat. 66: 61-86.

Gates, G. E. (6). On some species of the oriental earthworm genus *Pheretima* Kinberg, 1867. Zool. Meded. 37 (18): 293–312.

Gawroński, E. Soluble fractions of the humus of the excreta of Allolohophora caliginosa Sav. Ann. Univ. M. Curie-Skłodowska 15C: 225-252 10 figs. [Polish: Russian & English summaries].

Gieskes, J. M. T. M., see Allanson, B. R.

Gilpin-Brown, J. B. The development and structure of the cephalic nerves in *Nersis*. J. comp. Neurol. 109 1958: 317-348 20 figs.

Graff, O. Regenwürmer aus El Salvador (Oligo-chaeta). Senck. biol. 38 1957: 115-143.

Gray, J. E. Changes in abundance of the commensal crabs of *Chaetopterus*. Biol. Bull., Woods Hole 120: 353–359.

Greve, J. Vers de mer et vers de terre. Nature, Paris No. 3318: 441-446 7 figs.

Grigelis, A. see Griglyalis, A. I.

Griglyalis, A. I. [Fauna of oligochaetes and the dynamics in number and the biomass of *Ilyodrilus hammoniensis* and *Psammorycetes barbatus* in the lake Disnaï]. Trud. Akad. Nauk. Lith. S.S.R. ser. C 3 (26) 145–150 4 figs. [In Russian].

Haffner, K. von (1). Über den Bau und den Zusammenlang der wichtigsten Organe des Kopfendes von Hyalinoecia tubicola Malmgren (Polychaeta Eunicidae, Onuphidinae), mit Berücksichtigung der Gattung Eunice. Zool. Jb. (Abt. Anat.) 77 1959: 133–192 36 figs.

Haffner, K. von (2). Der Bau und die Verwandtschaftsbeziehungen des Palolowurmes Eunie viridis Gray (Polychaeta, Eunicidae). Int. Rev. Hydrobiol. 46: 184-204 14 figs.

Hagadorn, I. R. & Nishioka, R. S. Neurosecretion and granules in neurones of the brain of the leech. Nature, Lond. 191: 1013-1014 2 figs.

Hama, K. The fine structure of some blood vessels of the earthworm, *Eisenia foetida*. J. Biophys. & Biochem. Cytol. **7** 1960: 717–724 7 pls.

Hancock, R. L. (1). Giant nuclei in the earthworm Lumbricus. Nature, Lond. 189: 685 3 figs.

Hancock, R. L. (2). Neoplasms in Lumbricus terrestris L. Experientia 17: 547-549 7 figs.

Hannerz, L. Polychaeta: larvae. Families: Spionidae, Disomidae, Poecilochaetidae. Fich. Ident. Zooplanct. No. 19: 1–12.

Harman, W. J. A double-tailed earthworm. Proc. La. Acad. Sci. 23: 75-76 l fig.

Harman, W. J. & Platt, J. H. Notes on some aquatic oligochaetes from Louisiana. Proc. La. Acad. Sci. 24: 90-95 1 fig.

Haro, A. de (1). Sobre la distribución ecológica de las Lumbricides. Lumbricides de un suelo calcáneo de regadis de Vallmoll (Tarragona). Publ. Inst. Biol. apl. Barcelona 32 1960: 89-95 4 figs.

Hare, A. de (2). Sobre la distribución ecológica de los Lumbricidos. Lumbricidos de un suelo calcáreo de secano de Vallmoll (Tarragona). Misc. zool., Barcelona 1 (4): 17–18 1 fig.

Hartman, O. Polychetous annelids from California. Allan Hancock Pacif. Exped. 25: 1-226 34 pis.

Hartmann-Schröder, G. (1). Zur Morphologie der Opheliiden (Polychaeta sedentaria). Z. wiss. Zool. 161 1958: 84-143 84 figs.

Hartmann-Schröder, G. (2). Zur Polychaeten-Fauna von Peru. Beitr. neotrop. Fauna 2 1960: 1-44.

Haslett, W. L. & Jenden, D. J. A comparative study of the effect of ryanodine on muscle. J. cell. comp. Physiol. 57: 123–133 3 figs.

Hauenschild, C. (1). Abhängigkeit der Regenerationsleistung von der inneren Sekretion im Prostomium bei *Platymereis dumerilii*. Z. Naturf. **15B** 1960: 52–55.

Hauenschild, C. (2). Lunar periodicity. Cold Spr. Harb. Symp. quant. Biol. 25 1960: 491-497 10 figs.

Hauenschild, C. (3). Die Schwärmperiodizität von *Platynereis dumerilii* im DD/LD—Belichtungszyklus und nach Augenausschaltung. Z. Naturf. 16B: 753–756 l fig.

Hickock, J. F. & **Davenport**, D. Further studies in the behaviour of commensal polychaetes. Biol. Bull., Woods Hole **113** 1957: 397–406 1 fig.

Hobson, G. E. & Rees, K. R. The annelid phosphokinases. Biochem. J. 65 1957: 305-307.

Hoffmann, J. Notules hirudinologiques. Arch. Inst. gr.-duc. Luxemb. Sect. Sci. nat. phys. math. N.S. 27: 1960: 285–291 5 figs.

Holleman, J. W. & Biserta, G. Composition en acides aminés de l'hémérythrine de Sipunculus nudus. Bull. Soc. Chim. biol. 40 11 1958: 1417-1421.

Holt, P. C. On a new genus of the family Branchobdellidae (Oligochaeta). Amer. midl. Nat. **64** 1960: 169–176 4 figs.

Horridge, G. A. & Roberts, M. B. V. Neuro-muscular transmission in the earthworm. Nature, Lond. 186 1960: 650 2 figs.

Howie, D. I. D. (1). Spawning mechanism in the male lugworm. Nature, Lond. 192: 1100-1101.

Howie, D. I. D. (2). The spawning of Arenicola marina (L.) II. Spawning under experimental conditions. J. mar. biol. Ass. U.K. 41: 127-144 2 figs.

Howie, D. I. D. (3). The spawning of Arenicola marina (L.). III. Maturation and shedding of the ova. J. mar. biol. Ass. U.K. 41: 771-783 1 fig.

Hrabě, S. (1). Die Oligochaeten aus den Seen Dojran und Skador nach dem von Prof. S. Stanković gesammelten Material bearbeitet. Publ. Fac. Sci. Univ. Masaryk, Brno, No. 397 1958: 337–354. [Russian summary].

Hrabě, S. (2). [Two new species of the genus Rhynchelmis (Oligochaeta) from Slovakia]. Publ. Fac. Sci. Univ. J. E. Purkyne, Brno, No. 421 1961: 129-146. [Czech.: English translation & Russian summary].

Hyman, L. H. Chaetognatha, Sipunculida. in Hyman, L. H. The Invertebrates. New York (McGraw Hill Book Co.) 1959: 51-66; 610-690.

Hynes, H. B. N. The invertebrate fauna of a Welsh mountain stream. Arch. Hydrobiol. 57: 344-388

Imajima, M. Polychaetous annelids collected off the west coast of Kamchatka. I. Notes on species found in the collection of 1957-58. Publ. Seto mar. biol. Lab. 9: 81-102 14 figs.

Ingram, D. M. Some Tasmanian Hirudinea. Pap. Roy. Soc. Tasm. 91 1957: 191-232 61 figs.

Isaka, S. see Fujii, S.

Jansson, B.-O. Michaelsena glandulifera n. sp., a new enchytraeid from the interstitial fauna of sandy beaches. Ark. Zool. 13 (1): 81-88 3 pls. 9 figs.

Jarry, D.-M. see Pawlowski, L.-K.

Jeanson-Luusinang, C. (1). Étude expérimentale de l'action de Lumbricus herculeus (Savigny) (Oligochète Lumbricide) sur la stabilité structurale des terres. C.R. Acad. Sci. Paris 250 1960: 3041–3043.

Jeanson-Luusinang, C. (2). Évolution de la matière organique du sol sous l'action de *Lumbricus herculeus* Savigny (Oligochète Lumbricidae). C.R. Acad. Sci. Paris 250 1960: 3500–3502.

Jeldes, F. & Lefevere, S. Annélides polychètes non pélagiques, Polychètes sédentaires. Rés. sci. Expéd. Oceanogr. Belg. Eaux Côt. Afr. Atlant. Sud (1948-49): 4 5 1959: 1-40 7 figs.

Jenden, D. J. see Haslett, W. L.

Jones, M. L. (1). On the morphology of the nephridium of Nereis vexillox Grube. Biol. Bull., Woods Hole 113 1957: 407-413 8 figs.

Jones, M. L. (2). Two new poychaetes of the families Pilargidae and Capitellidae from the Gulf of Mexico. Amer. Mus. Novit. No. 2049: 1–18 27 figs.

Jones, M. L. (3). A quantitative evaluation of the benthic fauna off Point Richmond, California. Univ. Calif. Publ. Zool. 67: 219-320 30 figs.

Joshi, P. V. & Kamat, D. W. Metachomasia of earthworm eggs. Curr. Sci. 30: 422-423 1 fig.

Kabata, Z. see Silva, P. H. D. H. de.

Kamat, D. W. see Joshi, P. V.

Karavyanski, N. S. see Peredel'skii, A. A. et al.

Kawahara, T. Regional differences in the composition of fouling communities in Ago Bay. Rep. Fac. Fish. Univ. Mie 4 (1): 65-80 5 figs.

Kawakami, J. K. Experimental analysis of factors influencing regeneration in the earthworm. Jap. J. Zool. 13 (1): 141-164 3 pls.

Koechlin, W. Étude anatomique et historique des néphridiés de Sabella pavonina (Sav.) Annélide polychète. Bull. Lab. marit. Dinard No. 46: 4-35 1 pl. 14 figs.

Konstantinova, M. I. Movement of pelagic larvae of Heteromastus filiformis Clap. (Polychaeta). Dokl. Akad. Nauk S.S.S.R. 125 3 1959: 677-680 1 fig. Trans. Biol. Sci. 125 1-6 1959: 389-392 1 fig.

Kirkegaard, J. B. Polychaeta and Pogonophora from the deepest part of the Skagerrak. Vidensk. Medd. dansk. naturh. Foren. Kbh. 123 1960: 211-226 3 figs.

Knox, G. A. (1). The polychaete family Longosomidae in New Zealand. Nature, Lond. 187 1960:

Knox, G. A. (2). The Polychaeta Errantia of the Chatham Islands 1954 Expedition. Bull. N.Z. Dept. sci. industr. Res. No. 139 3 1960 : 77–143 238 figs.

Koli, L. (1). Über die Hirudinen des Brackwassers in der Umgebung von Tvärminne, Südwestfinnland. Arch. Soc. zool. bot. fenn. Nanamo 15: 58-62 1 fig.

Koli, L. (2). Sukasjuotikkaasta (Acanthobdella peledina Grube) ja sen Leoineisyydestä Suomessa. Luonnon Tutkija 65 5 : 139–141 3 figs. [Finnish].

Konstantinova, M. I. Formation of musculature during morphogenesis in *Harmothoe imbricata* L. (Polychaeta). Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 137: 339–342 4 figs. [Russian issue 137: 232–].

Kozlovskaya, L. S. & Zhdannikova, E. N. The combined activity of earthworms and the microflora in forest soils. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 139: 574-576. [Russian issue 139: 470-].

Krolenko, S. A. see Ushakov, B. P.

Kurt, L. A. [Some problems of ecology of soil dwelling Oligochaetae belonging to the family Enchytraeidae]. Zool. Zh. 40 (11): 1625–1632 2 figs.

Kusakina, A. A. see Ushakov, B. P.

Lastochkin, D. A. Chaetopoda. Zhizn. Presnikh. Vod. S.S.S.R. 2 1949: 111-130 figs. [In Russian].

Laubier, L. (1). Podarkeopsis galangalli n. g., n. sp., hésionide des vases cotières de Banyuls-sur-Mer. Vie et Milieu 12: 211-217 1 fig.

Laubier, L. (2). Acanthicolepis cousteaui n. sp., un Aphroditien de profondeur récolté par la soucoupe plongeante. Bull. Inst. océanogr. Monaco No. 1221 : 1-12 3 figs.

Laverack, M. S. Tactile and chemical perception in earthworms. I. Responses to touch, sodium chloride, quinine and sugars. Comp. Biochem. Physiol. 1 1960: 155-163.

Lee, K. E. Interactions between native and introduced earthworms. Proc. N.Z. ecol. Soc. No. 8: 60-62.

Lefevere, S. see Jeldes, F.

Legaré, J. E. H. & Maclellan, D. C. A qualitative and quantitative study of the plankton of the Quoddy region in 1957 and 1958 with special reference to the food of the herring. J. Fish. Res. Bd. Can. 17 (3) 1960: 409-448 14 figs.

Lehmann, F. E. & Mancuso, V. (1). Improved fixative for astral rays and nuclear membrane of *Tubifex* embryos. Exper. Cell Res. 13 1 1957: 161-164 5 figs.

Lehmann, F. E. & Mancuso, V. (2). Verschiedenheiten in der submikroskopischen Struktur de Somatablasten des Embryos von Tubifex. Arch. Klaus-Stift. Vererb Forsch. 32 1957: 482-.

Lenz, F. Der Lago Maggiore und die Kennzeichnende bedeutung seiner Bodenfauna. Mem. Ist. Idrobiol., suppl. 8 1955: 183–203.

Levenstein, R. J. (1). [A new and rare deep-water species of Polychaetous worms in the bottom fauna of the Bering Sea]. Trud. Okeanal. 23 1957: 286-290 2 figs. [In Russian].

Levenstein, R. J. (2). [The quantitative distribution of the Polychaeta in the north western Bering Sea]. Trud. Inst. Okeanol. 34 1960: 104-122 7 figs. [In Russian].

Levenstein, R. J. (3). [Quantitative distribution of Polychaeta in the northern Pacific]. Trud. Inst. Okeanol. 45: 214-222 3 figs. [In Russian: English summary].

Levenstein, R. J. (4). [Polychaeta in the deep-sea area of the Bering Sea]. Trud. Inst. Okeanol. Moskva 46: 147-178 10 figs. [In Russian].

Levenstein, R. J. see Filatova, Z. A.

Lewis, D. B. Development of the polychaete Fabricia sabella (Ehr.). Nature, Lond. 192: 80-81.

Linsley, R. H. see Carpelan, L. H.

Lukin, E. I. (1). [On the distribution of the medicinal leech in the U.S.S.R.]. Zool. Zh. 36 (5) 1957: 658-669. [In Russian: English summary].

Lukin, E. I. (2). Nonmiscibility of the Baikal and common Palearctic leech faunas. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 135: 987-989. Dokl. Akad. Nauk S.S.S.R. 135 2: 489-.

Lukin, E. I. & Epshtein, V. M. Leeches of the subfamily Toricinae subfam. N. and their geographical distribution. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 134: 812-814 3 figs. Dokl. Akad. Nauk S.S.S.R. 1342: 478-.

Lund, E. Wesenberg-, see Wesenberg-Lund, E.

Lützen, J. Sur une nouvelle espèce de polychète Sphaerodoridium commensalis, n. gen., n. spec. (Polychaeta errantia, familie des Sphaerodoridae) vivant en commensal de Terebilides stroemi Sars. Cah. Biol. mar. 2 4: 409-416 1 fig.

Macan, T. T. Factors that limit the range of freshwater animals. Biol. Rev. 36: 151-198.

McIntyre, A. D. (1). New records of polychaetes from Scottish coastal and offshore waters. Proc. roy. Soc. Edinb. 67: 351–362.

McIntyre, A. D. (2). Quantitative differences in the fauna of boreal mud associations. J. mar. biol. Ass. U.K. 41: 599-616 3 figs.

Maclellan, D. C. see Legaré, J. E. H.

McNulty, J. K. Ecological effects of sewage pollution in Biscayne Bay, Florida; sediments and the distribution of benthic and fouling macro-organisms. Bull. mar. Sci. Gulf & Caribbean 11 3: 394-447 17 figs.

Magrath, D. I. see Beatty, I. M.

Malevich, I. I. (1). [Oligochaete material occurring on the coast of the White Sea]. Arch. Mus. zool. Univ. Moscow 7 1951: 171-186. [In Russian]. Malevich, I. I. (2). Lumbricidae. Zhiv. Mir S.S.S.R. 4 1953: 577-589 figs. [In Russian].

Malevitch, I. I. (3). Neue Angaben über die Verbreitung der Oligochaeta in der U.D.S.S.R. Trud. Leningr. Obshch. Estestr. 73 4 1957: 81–85. [In Russian: German summary].

Malewitsch, I. I. (Malevič, I. I.) see Malevitch, I. I.

Mancuso, V. see Lehmann, F. E.

Mann, K. H. (1). Reading Nat. No. 4 1952: 12-17.

Mann, K. H. (2). The history of the leech Erpobdella testacea Sav. and its adaptive significance. Oikos 12 1: 164-169 4 figs.

Manning, R. B. see Tabb, D. C.

Margalef, R. Contribución al estudio de la fauna de las aguas dulces del noroeste de España. Publ. Inst. Biol. apl. Barcelona 21 1955: 137-171 14 figs. [English summary].

Marinov, T. (1). [Beitrag zur Kenntnis unserer Schwarzmeer—Polychaetenfauna]. Trud. Morsk. biol. Sta. G. Varna, Sofia 19 1957: 105–119. [In Bulgarian: Russian & German summaries].

Marinov, T. (2). [Beitrag zur Kenntnis unserer Archiannelidenfauna]. Trud. Morsk. biol. Sta. G. Varna, Sofia 19 1957: 121–126 3 figs. [In Bulgarian: Russian & German summaries].

Markert, R. E. & B. J. & Vertrees, N. J. Lunar periodicity in spawning and luminescence in *Odontosyllis enopla*. Ecology 42: 414-415 3 figs.

Matoničkia, I. [Ökologische Untersuchungen der Fauna in den thermalen Gewässernodes Hrvatsko Zagorje.] Rad. Yongosl. Akad. Zuan. Urnjetn. No. 312 1957: 139–206. [German summary].

Mattisson, A. G. M. Flavins in some types of invertebrate muscles. Ark. Zool. 13 (6): 545-552 5 figs.

Meek, G. A. see Bradbury, S.

Mellanby, K. Earthworms and the soil. Country-Side N.S. 19 4: 141-142.

Melton, C. E., Jnr., see Prosser, C. L.

Mendes, E. G. & Nonato, E. F. The respiratory metabolism of tropical earthworms. II. Studies on cutaneous respiration. Bol. Fac. Filos. Genc. S. Paulo (Zool.), No. 21 1957 [1958]: 153-166 7 figs.

Menichini, M. L. see Petrucci, D.

Michon, J. Contribution expérimentelle a l'étude de la biologie des Lumbricidae. Les variations pondérolas au cours des différentes modalités du développment postembryonnaires. Année biol. (3) 33 7-8 1957 : 367-376.

Mileikovsky, S. A. (1). Polychaetes Sphaerosyllis erinaeus Claparede and Phalacrophorus pictus Greeff in the Barents Sea plankton. Zool. Zh. 40 (7): 1099-1102 4 figs.

Mileikovskii, S. A. (2). Assignment of polychaete larva of rostraria type from plankton of Norwegian and Barents Seas to species Euphrospe borealis Oersted, 1843, and of all larvae of this type to the families Euphrosynidae and Amphinomidae (Polychaeta errantia, Amphinomorpha). Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 134: 815-817 2 figs. Dokl. Akad. Nauk S.S.S.R. 134 3: 731-.

Minker, E. see Abraham, A.

Miyata, I. see Ohuye, T. O. & Ochi, O.

1]

Mir.

Ver-

rud.

I. I.

-17.

della

a de

nst.

erer

piol.

an :

erer

G.

in :

nar yllis

der

sko 312

of

igs.

ry-

Dry

ulo

de

ér-

7 :

llis

in

02

ete

nd

0

nk

Moore, H. B. Marine Ecology. New York 1958: i-xi 1-493 figs.

Moore, J. P. Hirudinea. Rep. B.A.N.Z. Ant. res-Exped. 1929-31 6 (6) 1957: 101-105 2 figs.

Monné, L. On the physiological role of the polyphenois in cell and tissue envelopes. Ark. Zool. 13 (4-5): 287-298.

Moszynski, A. & M. [Oligochètes de la Pologne et de quelques contrées vorsines]. Wydz. mat. przyr. Kom. Biol. 18 6 1957 : 1-204 16 pls. [In Polish : French & Russian summaries].

Mulnard, J. La métachromasie in vivo et son analyse cytochimique dan l'oeuf de l'Annélide Chaetopterus pergamentaceus. Arch. Biol. Paris 69 1958 : 645-685 l pl. 16 figs.

Murchie, W. R. (1). Biology of the Oligochaete Bimastus zeteki Smith and Gittins (Lumbricidae) in Northern Michigan. Amer. Midl. Nat. 64 1960: 194–215.

Murchie, W. R. (2). A new species of *Diplocardia* from Florida (Oligochaeta: Megascolecidae). Ohio J. Sci. 61: 175-177 1 fig.

Murchie, W. R. (3). A new diplocardian earthworm from Illinois (Oligochaeta: Megascolecidae). Ohio J. Sci. 61: 367-371.

Naidu, K. V. Studies on the freshwater oligochaeta of South India. I. Aelosomatidae and Naididae. J. Bombay nat. Hist. Soc. 58: 639-652 3 figs.

Nair, N. B. Polydora as an agent in the destruction of submerged timber. Curr. Sci. 29 2 1960: 61-62 1 fig.

Neumann, G. Vergleich des Regenwurmbestandes in unberieselten und mit Abwasser berieselten Böden in der Freiburger Bucht. Ber. naturf. Ges. Freiburg i.B. 50 2 1960: 137-146 4 figs.

Nielsen, C. O. (1). Studies on Enchytraeidae. 3. The micro-distribution o Enchytraeidae. Oikos 5 (1954): 167–178.

Nielsen, C. O. (2). Respiratory metabolism of some populations of enchytraeid worms and freeliving nematodes. Oikos 12: 17–35 6 figs.

Nikolaev, G. V. see Peredel'skii, A. A. et al.

Nishioka, R. S. see Hagadorn, I. R.

Nonato, E. F. see Mendes, E. G.

Nurminen, M. Ankyrinadoista (Enchytraeidae) ja nüden tutkimuksesta. Luonnon Tutkija 65 4: 121–125 4 figs. [In Finnish].

Ochi, O. ses Ohuye, T. O. & Miyata, I.

Ohuye, T. O., Ochi, O. & Miyata, I. On the morphogenesis and histochemistry of the "Urn" found in the coelomic fluid of a sipunculid, *Phascolosoma scolops*. Mem. Ehime Univ. 4B (Biol.) 2: 329–334 1 pl. 1 fig.

Okada, E. see Waddington, C. H.

Omodeo, P. (1). Lumbricidae and Lumbriculidae of Greenland. [Lumbricidae e Lumbriculidae della Groenlandia. Atti. Soc. tosc. Sci. nat. 62B 1955: 105-128 1 fig.]. Medd. Gronland 124 6 1957: 1-27 5 figs.

Omodeo, P. (2). Oligocheti della Sicilia. Mem. Mus. civ. Stor. nat. Verona 8 1960 : 69-78.

Omodeo, P. (3). Le peuplement des grandes iles de la Méditerranée par les Oligochètes terricoles. Colloq. int. Centre nat. Rech. Sci. No. 94: 127-133 3 figs.

Omodeo, P. (4). Oligocheti della Francia meridionale e di localita Limitrofe. Mem. Mus. Civ. Stor. Nat. Verona 9: 67-95 4 fig.

Palazzo, F. Effetti dell'azide sodico sull'uovo di Tubifex rivulorum. Ric. sci. 25 10 1955 : 2873–2877 3 figs. [French, English & German summaries].

Palazzo, F. see Carrano, F.

Paloumpis, A. A. & Starrett, W. C. An ecological study of benthic organisms in three Illinois river flood plain lakes. Amer. midl. Nat. 64 1960: 406-435 11 figs.

Pant, R. Isolation of lombricine and its enzymic phosphorylation. Biochem. J. 73 1959: 30-33.

Parenti, U. Ophryotrocha puerilis siberti, O. hartmanni ed. O. baccii nelle acque di Roscoff (1). Cah. Biol. mar. 24: 437-445 3 figs.

Parcnzan, P. Biocenosi bentoniche del Mar Grande di Taranto (Nota preliminare). Rapp. Comm. int. Mer Medit. 16 (2): 455-459.

Pawlowski, L.-K. & Jarry, D.-M. Présence d'Hirudo michaslseni Augener, 1935 au Borkou (Nord-Tchad). Mission épidémiologique au Nord-Tchad J. Rioux. Comm. coord. sci. Sahara, P.R.O.H.U.Z.A. 115-116.

Peredel'skii, A. A., Bogatyrev, I. O. & Karavyanski, N. S. The influence of earthworms and wireworms on the absorption of radioactive isotopes Ca⁴⁵ and Sr⁵⁰ from the soil by plants. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. **134**: 704-705. Dokl. Akad. Nauk S.S.S.R. **134** 6: 1450-.

Peredel'skii, A. A., Shain, S. S., Karavyanski, N. S. & Nikolaev, G. V. Dispersion of radioisotopes in the soil by earthworms (Lumbricidae). Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Sci. 135: 868-870. Dokl. Akad. Nauk S.S.S.R. 135 1: 185-.

Perel, T. S. see Valiakhmedov, B.

Perry, M. M. see Waddington, C. H.

Petrucci, D. & Menichini, M. L. Presenza della 1-glutaminico-piruvico transaminasi negli anelli oligo-cheti. Boll. Soc. ital. Biol. sper. 33 6 1957: 843–845 2 figs.

Pettibone, M. H. New species of polychaete worms from the Atlantic Ocean, with a revision of the Dorvilleidae. Proc. biol. Soc. Wash. 74: 167–185 5 figs.

Pfitzenmeyer, H. T. Benthic shoal water invertebrates from tidewaters of Somerset County, Maryland. Chesapeake Sci. 2 1-2: 89-94.

Piliai, T. G. Annelida Polychaeta of Tambalagam Lake, Ceylon. Ceylon J. Sci. (Biol. Sci.) 4: 1-40 12 figs.

Platt, J. H. see Harman, W. J.

Plessis, Y. Écologie de l'estran rocheux du Calvados. Étude de biocénoses et recherches expérimentales. Ann. Inst. Oceanogr. Paris N.S. 38 3 : 233–324 8 figs.

Plisko, J. D. (1). Lumbricus submontanus Vejdovsky, 1876—ein jüngens Synonym des Namens Lumbricus Iucens Waga, 1857 (Oligochaeta, Lumbricidae). Bull. Soc. polon. Sci. Sér. Sci. biol. 9 2 : 101–104.

Plisko, J. D. (2). Analyse der Materialien von Regenwürmen (Lumbricidae) aus den Magazuren eines Maulwurfs (Talpa europaea L.). Fragm. faun. Warz. 9 (7): 61–73.

Poddubnaja, T. L. (1). [About seasonal distribution of populations of Tubificidae (Oligochaeta) in Rybinsk Reservoir]. Trud. Inst. biol. Vodochr. 2 (5) 1959: 102–108 5 fgs.

Poddubnaja, T. L. (2). [Materials on the feeding of mass species of tubificid worms in the Rybinsk water reservoir]. Trud. Inst. Biol. Vodochr. 4 (7): 219-231 6 figs. [In Russian].

Poddubuaja, T. L. & Sorokin, G. I. [The depth of the layer of tubificid worms optimal feeding in connection with their removals in the soil]. Byull. Inst. biol. Vodochr. No. 10: 14-17 3 figs. [In Russian].

Pollicita, M. Indagini istochemiche nell'uovo di Hydroides dianthus (Anellide). Ric. sci. 25 11 1955: 3114-3115. [French, English & German summaries].

Popescu-Gorj, A. & Costea, E. [Recherches hydrobiologiques et piscicoles dans les étangs d'Oltina (Vallée inondable du Danube)]. Hidrobiologia. Bucuresti 2: 29-125 20 figs. [French summary].

Prabhoo, N. R. Studies on Indian Enchytraeidae (Oligochaeta: Annelida). I. Description of three new species. J. zool. Soc., Calcutta 12 1960: 125-1321

Prosser, C. L., Ralph, C. L. & Steinberger, W. W. Responses to stretch and the effect of pull on propogation in non-striated muscles of *Golfingia* (=Phascolosoma) and Mustelus. J. cell. comp. Physiol. **54** 1959: 135-146 8 figs.

Prosser, C. L. & Melton, C. E., Jnr. Nervous conduction in smooth muscle of *Phascolosoma* proboscis retractors. J. cell. comp. Physiol. 44 1954: 255–275 13 figs.

Prosser, C. L. & Sperelakis, N. Electrical evidence for dual innervation of muscles fibers in the Sipunculid Golfingia (=Phascolosoma). J. cell. comp. Physiol. 54 1959: 129-133 2 figs.

Ralph, C. L. see Prosser, C. L. et al.

Ranzoli, F. see Vannini, G.

Raw, F. (1). Earthworm population studies: a comparison of sampling methods. Nature, Lond. 187 1960: 257.

Raw, F. (2). Observations on the effect of hexoestrol on earthworms and other soil invertebrates. J. Agric. Sci. 55 1960: 189–190.

Rees, K. R. see Hobson, G. E.

Reish, D. J. (1). The relationship of temperature and dissolved oxygen to the seasonal settlement of the polychaetous annelid *Hydroides norvegica* (Gunnerus). Bull. S. Calif. Acad. Sci. 60: 1-114 pls.

Reish, D. J. (2). A new species of *Micronereis* (Annelida, Polychaeta) from the Marshall Islands. Pacif. Sci. 15: 273-277 6 figs.

Reish, D. J. (3). The use of the sediment bottle collector for monitoring polluted marine waters. Calif, Fish Game 47: 261-272 3 figs.

Reynoldson, T. B. Population fluctuations in Urceolaria mitra (Peritricha) and Enchytraeus albidus (Oligochaeta) and their bearing on regulation. Cold Spr. Harb. Symp. quant. Biol. 22 1957: 313–327 16 figs.

Ringuelet, R. A. Clave sinóptica de los Hirudíneos argentinos. Physis 21 62: 336.

Rioja, R. Estudios anelidologicas. XXII. Datos para el conocimiento de la fauna de anelidos poliquetos de las costas orientales de Mexico. An. Inst. Biol. Univ. Mex. 29 1959: 219–301 97 figs.

Rivosecchi, E. T. Osservazioni sulle biocenosi del basso a Sabellaria di Lavinio. R.C. Accad. Naz. XL (4) 12: 147-157 l pl.

Roberts, M. B. V. Giant-fibre reflex of the earthworm. Nature, Lond. 186 1960: 167.

Roberts, M. B. V. see Horridge, G. A.

Robuck, S. S. see Wurtz, C. B.

Roche, J., Bessis, M. & Thiery, J.-P. Étude de l'hémoglobine plasmatique de quelques Annélides du microscope électronique. Biochem. & Biophys. Acta 41 1960 : 182-184 2 figs.

Roche, J., Bessis, M., Breton-Gorius, J. & Stralin, H. Mise en évidence de molecules d'hémo-globine et de ferritine dans certaines cellules d'Arenicola marina L. C.R. Acad. Sci. Paris 252: 3886-3887 3 figs.

Roots, B. I. (1). Famous animals—7. The earthworm. New Biol. No. 21 1956: 102-117 1 pl. 2 figs.

Roots, B. I. (2). Some observations on the chloragogenous tissue of earthworms. Comp. Biochem. Physiol. 1: 218–226.

Rose, M. Les annélides polychètes. in Trégouboff, G. & Rose, M. Manuel de planctonologie méditerranéenne. Paris (Centre National de la Recherche Scientifique) 1957. Vol. I : 423-430 ; Vol. II : pl. 94-99.

Rosenberg, H. & Ennor, A. H. (1). The isolation of lombricine and its possible biological precursor. Biochem. J. 73 1959: 521-526 4 figs.

Rosenberg, H. V. & Ennor, A. H. (2). Occurrence of free D-serine in the earthworm. Nature, Lond. 187 1960: 617-618.

Rosenberg, H. & Ennor, A. H. (3). The occurrence of free D-serine in the earthworm. Biochem. J. 79: 424-428.

Rosenberg, H. see Beatty, I. M.

Rosenberg, H. see Ennor, A. H.

Rosenberg, H. V. see Rossiter, R. J.

Rosenberg, H. V. see Schneider, T. J. et al.

Rossiter, R. J., Gaffney, T., Rosenberg, H. V. & Ennor, A. H. (1). Biosynthesis of lombricine. Nature, Lond. 185 1960: 383-384.

Rossiter, R. J., Gaffney, T. J., Rosenberg, H. V. & Ennor, A. H. (2). The formation in vivo of lombricine in the earthworm (Megascolides cameroni). Biochem. J. 76 1960: 603-610 2 figs.

Rossiter, R. J. see Ennor, A. H.

Rossiter, A. J. see Schneider, T. J. et al.

Rullier, F. La caroncule chez les Annélides Polychètes. Mém. Soc. Sci. nat. Cherbourg 45 1951: 141-144.

Rushdi Fattouh Abdel-Fattah. The chloragogen tissue of earthworms and its relation to urea metabolism. Proc. Egypt. Acad. Sci. 10 1955: 36–50.

Ruttner-Kolisko, A. Rheomorpha neiswestnovae und Marinellina flagellata zwei phylogenetisch interessante Würmtypen aus dem Süsswasserpsammon. Öst. zool. Z. 6 1955: 55–69 10 figs.

Ryland, J. S. see Crisp, D. J.

Sacchi, C. F. L'évolution récente du milieu dans l'étang saumatre dix "Lago di Patria" (Naples) analysée par sa macrofaune invertrebrés. Vie et Milieu 12: 37-65 2 figs.

Sakiyama, F. Rearing experiments of *Urechis* larvae. Nat. Sci. Rep. Ochanomizu Univ. **9** 2 1958: 47-56.

h-

de

lu ta

&

ola

28.

h-

m.

ff,

he

pl.

on

DT.

87

& re,

8

ne

J.

en

m.

nd

ite

ol.

ns

ée

2 :

his

Sanders, H. L. Benthic studies in Buzzards Bay. I. Animal-sediment relationships. Limnol. & Oceanogr. 3 1958: 245-258 5 figs.

Saroja, K. Seasonal acclimatization of oxygen consumption of temperature in a tropical poikelotherm, the earthworm, *Megascolex mauritii*. Nature, Lond. 190: 930-931.

Saussey, M. (1). Comportement estival de Lumbricus festivus Savigny et de Lumbricus rubellus Hoffmeister dans le département de la Manche. C.R. Acad. Sci. Paris 250 1960: 395-397.

Saussey, M. (2). Diapause et évolution de l'appareil génital chez *Allolobophora icterica* Savigny. C.R. Acad. Sci. Paris **250** 1960 : 2453-2455.

Saussey, M. (3). Contribution ä l'étude de la diapause d'*Allolobophora icterica* Savigny (Oligochète, Lumbricidae). C.R. Acad. Sci. Paris **251** 1960 : 2411–2413.

Saussey, M. (4). Possibilité de régénération caudale chez Allolobophora icterica Savigny (Oligochète, Lumbricidae) en dehors des périodes de diapause. C.R. Acad. Sci. Paris 252: 3119-3121.

Scheler, W. Lichtabsorption und Sauerstoffbindungskurve des Hämoglobins von *Tubifex tubifex*. 22. 332 1960: 366–375 3 figs. [English summary].

Schindewolf, O. H. Über Lebensgemeinschaften von Würmen und Korallen. Natur. u. Volk 90 1960: 1-10 16 figs.

Schinske, R. A. see Stephens, G. C.

Schneider, T. J., Rossiter, R. J., Rosenberg, H. V. & Ennor, A. H. The in vivo incorporation of [**19] inorganic phosphate into lombricine and swine ethanolamine phosphodiester of the earthworm. Biochem. Biophys. Acta 42 1960: 218-225 2 figs.

Schuel, H. A study of the effects of urethan on the cleavage of the Chaetopterus egg. I. Inhibition of cleavage. Biol. Bull., Woods Hole 120: 384–400 4 figs.

Sciacchitano, I. (1). Biogeografia dell'Isola di Zannone (Archipelago Pontino) Oligochaeta. R.C. Accad. Naz. XL (4) 4-5 1954: 156-157.

Sciacchitano, I. (2). Spedizione biologica in Somalia dell'Università di Firenze (1959). Risultate zoologici. Oligochaeta. Monit. zool. ital. **68** 1960 [1961]: 185–186.

Sciacchitano, I. (3). Oligochaeta part. in Hanström, B. & others. South African animal life: results of the Lund University Expedition in 1950–1951. Vol. 7. Stockholm (Almquist & Wiksel). 1960: 9–12.

Sciacchitano, I. (4). Irudinei dell'Afghanistan (Nota seconda). Monit. zool. ital. 68 1960 [1961]: 187–189.

Sciacchitano, I. (5). Biogeografica delle Isole Pelagie. Oligochaeta. R.C. Accad. Naz. XL (4) 11 1960: 432.

Sciacchitano, I. (6). Hirudinées des Açores et de Madère. Bol. Mus. Funchal 14 42-50 : 5-6.

Scott, A. Note on the polychaete *Ophelia rathkei* McIntosh in north-west Scotland. Ann. Mag. nat. Hist. Ser. 13 **3** 1960 [1961]: 729–732.

Semal, P. & Gansen, Van (1). Les vers Naidomorphes. Nat. belges 39 1958: 235-245 11 figs.

Semal-van Gansen, P. (2). Le Tubifex des russeaux. Nat. belges 40 1959: 127-138 9 figs. Semal-van Gansen, P. (3). Occurrence of a non-fibrillar elastin in the earthworm. Nature 186 1960: 654-655.

Semal-van Gansen, P. (4). Adaptations structurelles des animaux filtrants. Ann. Soc. Roy. zool. Belg. 90 1960: 161–231.

Serpioanu, N. see Bačescu, M.

Shain, S. S. see Peredel'skii, A. A. et al.

Sharma, R. E. & Fernando, C. H. Leeches and their ways. Malay. Nat. J. 15: 152-159.

Shchegolev, G. G. [Hirudinea]. Zhizn. Presnikh. Vod. S.S.S.R. 2 1949: 131-145. [In Russian].

Shurin, A. T. Characteristic features of the bottom fauna in the eastern Baltic in 1959. Ann. Biol. Copenhague **16** 1959 [1961]: 86–88 1 fig.

Silva, P. H. D. H. Da (1). A key to the genera of the family Piscicolidae (Hirudinea). Ceylon J. Sci. Biol. Sci. 3 1960: 223–233.

Silva, P. H. D. H. de (2). Contribution to the knowledge of the polychaete fauna of Ceylon. Part I. Five new species, two new varieties and several new records principally from the southern coast. Spolia Zeylan. 29 (2): 164–194 12 figs.

Silva, P. H. D. H. de & **Burdon-Jones**, C. A new genus and species of leech parasitic on the fish *Coltus bubalis*. Proc. zool. Soc. Lond. **136**: 343–357 5 figs. 1 pl.

Silva, P. H. D. H. de & Kabata, Z. A new genus and species of leech parasitic on *Drepanopsetta platessoides* (Malm) the long rough dab. Proc. zool. Soc. Lond. 136: 331-341 3 figs.

Simkina, R. G. see Turpaeva, E. P.

Siudzinski, K. & Zmudzinski, L. Sphaerodorum balticum Reimers in the southern Baltic. Ann. Biol., Copenhague 16 1959 [1961]: 83-84 1 fig.

Skerman, T. M. Ship fouling in New Zealand waters: A survey of marine fouling organisms from vessels of the coastal and overseas trades. N.Z. J. Sci. **3** 1960: 620-648 7 figs.

Sloka, T. [The fauna of Leeches (Hirudinea) in Latvia]. Vestis 3 (104) 1956: 89-93. [In Russian].

Smith, R. I. A note on the tolerance of low salinities by Nereid polychaetes and its relation to temperature and reproductive habit. Année biol. (3) 33 3-4 1957: 97-107.

Sokolskaya, N. L. (1). [New data on the geographical distribution of the oligochaete *Branchiura* sowerby Bedd. and some information on the ecology of this species]. Zool. Zh. 40 (4): 605-606.

Sokolskaya, N. L. (2). [Material dealing with the fresh-water Oligochaeta fauna of Kamchatka]. Byull. Mosk. Obshch. Isp. Prir. Otd. Biol. 66 1: 54-68 6 figs. [English summary].

Solberg, B. see Dougherty, E.

Sorokin, G. I. see Poddubuaja, T. L.

Sperber, C. Contribution à l'étude de la faune d'Afghanistan 41. Oligochaeta Naididae. Ark. Zool. N.S. 13 (2-3): 155-158.

Sperelakis, N. see Prosser, C. L.

Srinivasagam, R. T. (1). Reaction to shadow in Dasychone cingulata Grube. (Polychaeta). Curr. Sci. 30: 196.

Srinivasgam, R. T. (2). The responses of Dasychone cingulata Grube to photic stimulation. Proc. Indian Acad. Sci. 54B: 198-208.

Stagni, A. (1). Fenomeni rigenerativi e origine degli elementi germinali in *Spirorbis pagenstecheri*. Boll. Zool. **26** (2) 1959: 397–403 2 pls.

Stagni, A. (2). Ancora sulla genesi e sessualizzazione degli elementi germinali in esemplari régeneranti di Spirothis pagenstecheri. Atti Accad. Lincei (8) 36 6: 928-932 2 pls. 1 fig.

Stanković, S. The Balkan Lake Ohrid and its living world. Monogr. biol. 9 1960: 1-357 1 pl. 100 figs.

Starrett, W. C. see Paloumpis, A. A.

Steinbach, H. B. & Dunham, P. B. Ionic gradients in some invertebrate spermatozoa. Biol. Bull., Woods Hole 120: 411–419 2 figs.

Steinberger, W. W. see Prosser, C. L. et al.

Stéphan-Dubois, F. Action combinée du calcium et du potassium sur la régénération caudale de Nereis diversicolor (Annélide). C.R. Soc. Biol. Paris 155: 111-115.

Stephen, A. C. (1). British Echiurids (Echiuroidea), Sipunculids (Sipunculoidea) and Priapulids (Priapuloidea) with keys and notes for the identification of the species. Synopses of the British Fauna No. 12. The Linnean Society of London 1960: 1-27.

Stephen, A. C. (2). Echiuroidea and Sipunculoidea from Sénégal, West Africa. Bull. Inst. Français Afr. Noire 22 1960: 512-520.

Stephens, G. C. & Schinske, R. A. Uptake of amino acids by marine invertebrates.

Oceanogr. 6 2: 175-181 2 figs.

Stolk, A. (1). Occurrence of giant nuclei and pharyngeal tumour in the earthworm *Lumbricus terrestris*. Experientia 177: 306.

Stolk, A. (2). Occurrence of giant nuclei and pharyngeal tumour in the earthworm Lumbricus terrestris.

Proc. Ned. Akad. Wet. Amst. 54C: 568-578 14 figs.

Stöckli, A. Über das Vorkommen der Ehchytraeiden in Wiesen, Weiden, Ackerland und Waldböden der Schweiz. Llandw. Jb. Schweiz. 71 2 1957: 171–188 3 figs.

Stralin, H. see Roche, J.

Stubbings, H. G. Fouling and anti-fouling. Research 148: 309-3146 figs.

Sveshnikov, V. A. [Pelagic Polychaete larvae of the White Sea]. Zool. Zh. 40 (2): 164-177 5 figs. [Russian].

Sytinsky, S. M. see Vereshchagin, S. M.

Szerb, J. C. The estimation of acetylcholine, using leech muscle in a microbath. J. Physiol., Lond. 158 2 (Proc.): 8P-9P.

Tabb, D. C. & Manning, R. B. A checklist of the flora and fauna of northern Florida Bay and adjacent brackish waters of the Florida mainland collected during the period July, 1957 through September, 1960. Bull. mar. Sci. Gulf & Caribbean 11 4: 552-649 8 figs.

Takahashi, T. & Yamaguchi, H. Occurrence of Pheretima communissima (Goto et Hatai) in Hokkaido. J. Hokkaido Gakugei Univ. 12 No. 1 IIB: 1-3.

Tambs-Lyche, H. see Burdon-Jones, C.

Tampi, P. R. S. On the early development of *Protula tubularia* (Montagu) (Family Serpulidae-Polychaeta). J. mar. biol. Ass. India 2 1960: 53-56 9 figs.

Tarasov, N. I. (1). [Luminescence of the sea]. Moskva (Izdatel'stvo Akademii Nauk S.S.S.R.) 1956: pp. 204.

Tarasov, N. I. (2). [On marine fouling]. Zool. Zh. **40** (4): 477–489 5 figs. [Russian].

Tembe, V. B. & Dubash, P. J. The earthworms: A review. J. Bombay nat. Hist. Soc. 58: 171-201 6 figs.

Thermes, G. (1). I celomociti in Allolobophora caliginosa ed in Allolobophora rosea. Boll. Zool. 27 1960: 113-118 1 pl.

Thermes, G. (2). Migrazione di cellule dell'epidermide e dell'epitelio intestinale durante la rigenerazione dei Lombricidi. Allosophora caliginosa—Rigenerazione del moncone cefalico: zona centrale priva di autotomia. Boll. Zool. 27 1960: 95–106 1 fig. 3 pls.

Thermes, G. (3). La rigenerazione nei Lombricidi (Allolobophora caliginosa ed Allolobophora rosea). Potenzialità delle cellule di natura ectodermica, mesodermica ed entodermica. Capacità morfogenetiche della zona post-clitellare. Parte I, II & III. Arch. zool. (ital.) Napoli 45 1960 [1961]: 175–279 3 figs. 12 pls.

Thiery, J. P. see Roche, J.

Thouveny, Y. see Abeloos, M.

Tebble, N. The distribution of pelagic polychaetes in the South Atlantic Ocean. Discovery Rep. **30** 1960: 161-299 52 figs.

Thomas, M. L. H. A modified anchor dredge for collecting burrowing animals. J. Fish. Res. Bd. Can. 17 1960: 591-594 7 figs.

Thouveny, Y. Sur l'origine des tissus dans la régénération des annelides *Polydora flava* Clap. et *Magalia* perarmata Marion et Bobr. Ann. Fac. Sci. Marseille 31: 45-69 18 figs.

Timm, T. [Zur Fauna der Regenwürmer (Lumbricidae) Estlands]. Loodus. Selts. Tallinn **53** 1960 : 160–169. [Russian & German summaries].

Turpaeva, E. P. [The relation of the Black Sea Mercierella enigmatica Fauvel to conditions of various salinity]. Trud. Inst. Okeanol. Moskva 49: 187–199 5 figs. [Russian].

Turpaeva, E. P. & Simkina, R. G. [The effect of copper-containing antifouling fusions on some fouling organisms]. Trud. Inst. Okeanol. Moskva 49: 224–234 5 figs. [Russian].

Tyshchenko, V. R. see Vereshchagin, S. M.

Ulrich, K. Über die Funktionen des Regenwurm-Chloragogs insbesondere über Filtrierption und Fettspeicherung bei Lumbricus terrestris L. Z. vergl. Physiol. 41 1958: 342–363 1 fig.

Ushakov, P. V. (1). [New species of Polychaeta belonging to the family Aphroditidae from the Far East Seas]. Trav. Inst. zool. Acad. Sci. U.R.S.S. 21 1955: 170–173. [In Russian].

Ushakov, P. V. (2). [New species of Polychaeta belonging to the family Phyllodocidae]. Trav. Inst. Zool. Acad. Sci. U.R.S.S. 13 1953: 207-209 2 figs.

Ushakov, B. P. & Krolenko, S. A. Comparative cytophysical analysis of the reaction of muscle fibers under the influence of urea. Dokl. Akad. Nauk S.S.S.R. (Transl.) Biol. Scil 133 1-6: 618-620 1 fig. [Dokl. Akad. Nauk S.S.S.R. 133 3: 726-].

1]

it of

Poly-

figs.

sea].

56:

Zh.

ms : figs.

60 :

der-

one

nia.

cidi

ten-

nica

ona

al.)

s in

: 06

for

an.

én-

ilia

ille

0-

ca

99

ng 34

ol.

ta

st

ta

٤.

Ushakov, B. P. & Kusakina, A. A. Changes in cholinesterase activity of leeches bred at different temperatures. Vth Int. Congr. Biochem. 1961.

Uschakov, P. & Wu, B. L. (1). [The polychaetous annelids of the families Phyllodocidae and Aphroditidae from the Yellow Sea]. Arch. Inst. Ocean. Sinica 1 7 1959: 1–40 60 figs. [In Chinese: Russian translation].

Uschakov, P. & Wu, B. L. (2). [Preliminary data on the polychaetous annelida from the seas of China]. Ocean. Limn. Sinica 3 2 1960: 86–93. [In Chinese: Russian summary].

Ushakov, P. V. et al. Annelida. Atlas invertebr. far eastern seas U.S.S.R. Moscow 1955: 81-91. [In Russian].

Vagin, V. L. [Asteromyzostomum gen. nov., a new representative of the Class Myzostomida (Annelida)]. Trud. Leningrad Soc. Nat. 72 4 1954: 16–37 11 figs. [In Russian].

Valiakhmedov, B. & Perel, T. S. [Differences in earthworm population in dark sierozem (desert dark grey soil) and meadow-marshy soils, and changes in their population density under the effect of soil cultivation in Tajikistan]. Zool. Zh. 40: 1808–1814 1 fig. [In Russian: English summary].

Valkanov, A. [Katalog unserer Schwarzmeerfauna]. Trud. Morsk. biol. Sta. G. Varna, Sofia 19 1957: 1–62. [German summary].

Vannini, E. & Ranzoli, F. (1). Osservazioni sui fenomeni di toracizzazione negli schizozooidi di Salmacina incrustans. Boll. Zool. 24 (2) 1959: 145-151.

Vannini, E. & Ranzoli, F. (2). Correlazione del numero di metameri toracici fra schizonti e schizozooida in Salmacina dysteri. R.C. Accad. Lincei (8) 30 1: 94-99 2 figs.

Vereshchagin, S. M., Sytinsky, I. A. & Tyshchenko, V. R. [The action of gamma-aminobuytoric acid and beta-alamine on motor effects and bioelectrical activity in annelids and arthropods]. Zh. Obshch. Biol. 22 6: 467-471 3 figs. [English summary].

Vershinin, N. V. On the question of the origin of the relict fauna of the Norilskii group of lakes. Dokl. Akad. Nauk S.S.R. (Transl.) Biol. Sci. 135: 990-991. Dokl. Akad. Nauk S.S.S.R. 135 3: 753-.

Vertrees, N. J. see Markert, R. E. & B. J.

Vigh, B. see Aros, B.

Volz, P. Die Regenwürmer der sudlichen Vonderpfelz. Mitt. Pollichia (3) 8: 199-207 map.

Vos, A. P. C. de. Polychaete en Oligochaeta. Verander. Fl. Fauna Zuiderzee 1954: 186-188.

Waddington, C. H., Perry, M. M. & Okada, E. A note on some structures in *Cirratulus* eggs. Exp. Cell Res. 23: 634-637 7 figs.

Walker, B. W. The ecology of the Salton Sea, California, in relation to the sportfishery. Fish. Bull. Calif. No. 113: pp. 204 [p. 63] 80 figs.

Watson, M. R. The chemical composition of earthworm cuticle. Biochem. J. 68 1958: 416-420.

Weinstein, F. Sur les caractères et la position systématique du genre *Plakosyllis* Hartmann-Schröder. Vie et Milieu 12: 119-123 2 figs.

Warwick, T. The vice-county distribution of the Scottish freshwater leeches and notes on the ecology of Trocheta bykowskii (Gedroye) and Hirudo medicinalis L. in Scotland. Glasg. Nat. 18: 130-135.

Wells, G. P. How lugworms move. in J. A. Ramsay & V. B. Wigglesworth, Eds. The Cell and the Organism. Cambridge: 209–233 10 figs.

Wells, G. P. A new lugworm from Woods Hole, hitherto included in Arenicola cristata (Polychaeta). Proc. 200l. Soc. Lond. 137: 1-11 4 pls.

Wesenberg-Lund, E. Report of the Lund University Chile Expedition 1948–49. 43. Polychaeta errantia. Acta Univ. Lund. N.S. Avd. Z. 57 12: 1–139 49 figs.

Wilczynski, J. Z. On egg dimorphism and sex determination in *Bonellia viridis* R. J. exp. Zool. 143 1960: 61-75 15 figs.

Williams, R. G. F. The distribution of freshwater leeches in the Glasgow region, with notes on their ecology. Glasg. Nat. 18: 136-146.

Wojtas, F. [Remarques concernant la reproduction des sangsues de l'espèce Cystobranchus respirans (Troschel)]. Zesz. Nauk. Univ. Lodz Ser. 2 7 1960: 153-159 2 figs. [In Polish: French summary].

Woodwick, K. H. Polydora rickettsi, a new species of a spionid polychaete from lower California. Pacif. Sci. 15: 78-81 7 figs.

Worlton, J. M. & Wright, L. D. Biosynthesis of Squalene by the annelid Lumbricus terrestris. Nature, Lond. 187 1960: 1027–1028.

Wright, L. D. see Worlton, J. M.

Wu, B. L. see Uschakov, P.

Wurtz, C. B. & Roback, S. S. The invertebrate fauna of some gulf coast rivers. Proc. nat. Acad. Sci. Philad. 107 1955: 167–206.

Yamaguchi, H. A revision on the system of classification of the oligochaetae with some discussions on the phylogeny of the animal group. Zool. Mag. Tokyo 62 (5) 1953: 175–178.

Yamaguchi, H. see Takahashi, T.

Zajone, I. (1). [Regenwürmer aus verschiedenen Biotopen aus der Umgebung der Stadt Nitra]. Sbornik VSP, Nitva, zool. cast., 1 [1957]: 229-242. [Czech.: German & Russian summaries].

Zajone, I. (2). [Zu einigen biometrischen Merkmalen unserer Regenwürmer (*Lumbricidas*)]. Zool. Listy (Folia Zool.) VIII (XXII) (1959): 147–158. [Czech.: German summary].

Zajone, I. (3). [Beitrag zur Verbreitung und Okologie des Regenwurms Eophila antipai var. tuberculata Cernosvitov 1935 (Oligochaeta, Lumbricidae)]. Vestnik Čs. zool. spol. (Acta Soc. zool. Bohemos.) 24 (1960): 280–284. [Czech.: German & Russian summaries].

Zajone, I. (4). [Beitrag zur kenntnis der Regenwürmer (Oligochaeta, Lumbricidae) der Slowakei]. Biológia, Bratislava 15 1960 : 331-338 4 figs. [Czech. : German & Russian summaries].

Zajone, I. (5). [Zur Kenntnis der Regenwürmer-Fauna (Lumbricidae) des Flussgebietes der Ostravica und Dol. Bečva]. Přir časopis slezsky 21 (1960): 71–78. [Czech.: German summary].

Zajonc, I. (6). [Die Regenwürmer (Oligochaeta-Lumbricidae) des Kreisgebietes Banská Bystrica]· Vestnik Čs. zool. spol. Acta Soc. zool. Bohemosl.) 25: 147–166 7 figs. [Czech.: German summary].

Zenkevich, L. A. (1). [A new genus and two new species of deep-water Echiuroidea of the Far-Eastern Seas and of the North-western Pacific]. Trud. Okean. 23 1957: 291-295 6 figs. [In Russian].

Zenkevich, L. A. (2). [Deep-sea Echiurids of the north-western part of the Pacific. Trud. Inst. Okean. 27 1958: 192-203 11 figs. [In Russian].

Zhdannikova, E. N. see Kozlovskaya, L. S.

Zicsi, A. (1). Die Regenwurmfauna des oberen ungarischen Donau-Ufergebietes (Danubialia Hungarica, VIII). Ann. Univ. Sci. Budapest. Rolando Eötvos nom., Biol. 3 1960: 427-440 3 fig.

Zicsi, A. (2). Revision der Lumbriciden von Prof. Dr. F. Veidovsky. Čas. nár. Mus. 130 1: 77-80.

Ziegelmeier, E. Investigations of the bottom fauna in the eastern part of the German Bight, 1959. Ann. Biol., Copenhague 16 1959 [1961]: 80-82 2 figs.

Zmudzinski, L. see Siudzinski, K.

ANNELIDA ECHIURA SIPUNCULA

SUBJECT INDEX

GENERAL

Reviews: Monographs.-Vermes, Bokhovski, R. E.; List of genera and higher categories in the Hirudinea, Caballero y C., E.; Polychaeta of Inhaca Island, Lourenço Marques, with a key to the common species, Day, J. H. (1); Endocrinology and stolonisation in polychaetes (Nereiidae), Durchon, M. (3); Marine and earthworms, Greve, J.; Annotated list of species and keys to some families, genera and species of species and keys to some immines, genera and species or polychaetes from California, Hartmann, O.; Chaetognatha, Sipunculida, general account with bibliographies, Hyman, L. H.; Zoogeography of abyssal polychaetes of the Skagerrak, Kirkegaard, J. B.; Freshwater oligochaeta, Lastochkin, D. A.; International control of the actions betwen New Zealand and introduced earthworms, Lee, K. E.; Canadian plankton studies, Legaré, J. E. H. & Maclellan, D. C.; Plankton studies with reference to the food of the Herring, Legaré, J. E. H. & Maclellan, D. C.; Quantitive distribution of polychaeta in the northwestern Bering Sea, Levenstein, R. J. (2); Quantitative distribution of the North Pacific polychaeta, Levenstein, R. J. (3); Comparison of Palearctic and Baikal leech faunae, Lukin, E. I. (2); Ecological notes and keys to British freshwater leeches, Mann, K. H. (1); Identification of larvae of families Euphrosynidae and Amphinomidae, Mileikovskii, S. A. (2); The Oligochaeta of Poland, Moszynski, A. & M.; Biology of Bimastus zeteki, Murchie, W. R. (1); Lumbricidae and Lumbriculidae of Greenland, Omodeo, P. (1); Distribution of oligo-chaetes in the larger islands of the Mediterranean, Omodeo, P. (3); The influence of earthworms on the absorption of radioactive isotopes from the soil by plants, Paredel'skii, A. A. et al.; Analysis of earthworm material in molehills of Talpa europaea in Poland, Plisko, J. D. (2); Semi-popular account of British Lumbricids, Roots, B. I. (1); Key to families and genera of Mediterranean planktonic polychaetes, Rose, M.; Worm and coral communities, Schindewolf, O. H.; Leeches and their ways, Sharma, R. E. & Fernando, C. H.; Freshwater Hirudinea, Shchegolev, G. G.; List of Latvian leeches, Sloka, T.; Naididae of Afghanistan, Sperber, C.; Notes and keys for the identification of British spp. of Echiuroidea, Sipunculoidea and Priapuloidea, Stephen, A. C. (1); Keys to pelagic polychaete larvae of the White Sea, Sveshnikov, V. A.; Checklist of the fauna of marine and brackish waters of Florida, Tabb, D. C. & Manning, R. B.; Marine luminescence, Tarasov, N. I. (1); Distribution of pelagic polychaetes in the South Atlantic Ocean, Tebble, N.; Lumbricidae of Estonia, Timm, T.; Polychaeta errantea of Chile inc. new records and spp., Wesenberg-Lund, E.; Echiuridae, new and known, of the northwestern Pacific, Zenkevitch, L. A. (2); Ecology and distribution of Czechoslovakian earthworms, Zajonc, I. (1); Earthworm fauna on the banks of the Danube, Zicsi, A. (1).

Bibliography.—Bibliography of recent advances in the study of Indian earthworms, Tembe, V. B. & Dubash, P. J.

Taxonomy.—Revised list of Aphroditidae, Eire, Aitken, J. J.; Keys to Central European Hirudinea, Autrum, H.; Classification of the family Poeobiidae, Berkeley, E. & C.; Key to genera of Nerillidae (Archiannelida), Boaden, P. J. S.; Notes on Lycastopsis Augener, Bois-Reymond Marcus, E. du; Key to the families and genera of British polychaetes, Clark, R. B. (1); Cyto-taxonomy in the Enchytracidae with notes on parthenogenesis and polyploidy, Christensen, B.; Phyllochaetopterus claparedii in N.W. Pacific, Dales, R. P. (2); Buccal apparatus of South African Flabelligeridae, Day, J. H. (2); Systematic note on South African species of Aricidea, Day, J. H. (2); Systematic note on Oriopsis Caullery and Mesnil with key to southern African species, Day, J. H. (2); Systematic note on Eudichogaster (2), Gates, G. E.; Remarks on Eodrilus, Howascolex (subgen. nov.) and Dichogaster, list of Central American spp., Graff, O.; Keys and illustrations for the identification of larvae of Spionidae, Disomidae, Poecilochaetidae, Hannerz, L.; Morphology of the Opheliidae, Hartmann-Schröder, G. (1); New genus and species of Branchiobdellid from Kentucky, Holt, P. C.; Key to species of Rhynchelmis, Hrabe, S. (2); New species of leeches from Tasmania, Ingram, D. M.; New species of feeches from Tasmania, Ingram, D. M.; Taxonomic note Michaelsma spp., Jansson, B.-O.; Key to the genera of the Pilargidae, Jones, M. L. (2); Key to New Zealand spp. Goniada, Knox, G. A. (2); Taxonomic note Acanthicologis spp., Laubier, L. (2); New spp. polychaeta from the Bering Sea, Levenstein, R. J. (4); Review of Baikal and other Glossiphonid leeches and separation of the Torricinae subfam. nov., Lukin, E. I. & Epshtein, V. M.; Sphaerodoridae revised, Lützen, J.; Key to all genera of Aelosomatidae and all accepted species of Aelosoma Ehrenberg, Naidu, K. V.; Key to some genera of Hesionidae, Pettibone, M. H.; Revision of the Dorvilleidae, with key, Pettibone, M. H.; The synonymy of Lumbricus submontanus Vejdovsky, Plisko, J. D. (1); New spp. of Indian Enchytraeidae, Prabhoo, N. R.; Key to spp. of Achaeta Vedjovsky, Prabhoo, N. R.; Corrections, taxonomic changes and new combinations of names of Argentinian leeches, Ringuelet, R. A.; Keys to genera and species of polychaetes from eastern Mexico, Rioja, E.; Affinities of some archioligochaeta with a description of a new genus (Aeolosomatidae), Ruttner-Lolisko, A.; General account of Ophelia rathkei in Scotland, Scott, A.; Naididae, Semal, P. & Gansen, van (1); A key to the genera of the family Piscicolidae, Silva, P. H. D. H. de (1); Freshwater oligochaeta from the Kamchatka area including new reords and species, Sokolskaya, N. L. (2); Echuira and Sipuncula from Senegal, Stephen, A. C. (2); Phyllodocidae and Aphroditidae from the Yellow Sea, Uschakov, P. & Wu, B. L. (1); Asteromyzostomum

te

ist

a,

es ri-

of

c,

h-

es

&c

e, ie

B.

ic n-

d

new genus of Myzostomida, Vagin, V. L.; Characters and systematic position of Peakosyllis Hartmann-Schröder, Weinstein, F.; Review of Armicola spp. from Woods Hole, Mass., Wells, G. P.; Classification and phylogeny of the oligochaeta, Yamaguchi, H.; Re-examination of Lumbricidae identified by F. Vejdovsky, Zicsi, A. (2).

Technique: Methods.—Inducing self-fertilisation in Eisenia fostida Savigny, André, F.; Notes on counting and mounting planktonic organisms, Carrie, B. G. A.; Monoxenic cultivation of Enchytraeus fragmentasus, Dougherty, E. & Solberg, B. (1); Axenic cultivation of Enchytraeus fragmentasus, Dougherty, E. C. & Solberg, B. (2); Transplantation of parapodia in the Nereiidae, Durchon, M. (2); Methods of narcotization of Urechis unicinatus (Echiura); Artificial stimulation of spawning in the male of Arenicola marina, Howie, D. I. D. (1); Spawning of Arenicola marina under artificial conditions, Howie, D. I. D. (2); Artificial stimulation of spawning and artificial fertilization of the eggs of Arenicola marina, Howie, D. I. D. (3); Improved fixative for astral rays and nuclear membrane of Tubifex embryos, Lehmann, F. E. & Mancuso, V. (1); Comparison of earthworm populations in normal and polluted soils, Neumann, G.; A comparison of methods of sampling earthworms, Raw, F.; Monitoring polluted marine waters with a sediment bottle collector, Reish, D. J. (3); The isolation of lombricine, its possible biological precursor, Rosenberg, H. & Ennor, A. H. (1); Rearing experiments of Urechis larvae, Sakiyamns, F.; Estimation of acetylcholine in leech muscle, Szerb, J. C.; Modified anchor dredge for collecting burrowing animals, Thomas, M. L. H.

Fouling.—Plankton, hydrology and marine fouling at Heard Island, Ealey, E. H. M. & Chittleborough, R. G.; Regional differences in fouling communities, Kawahara, T.; Distribution of benthic and fouling macro-organisms in relation to sediments, McNulty, J. K.; Marine fouling, Skerman, T. M.; Fouling and anti-fouling, Stubbings, H. G.; Marine fouling, Tarassov, N. I. (2); Effect of copper anti-foulants on fouling organisms, Turpaeva, E. P. & Simkina, R. G.

Movement.—How lugworms (Arenicolidae) move, Wells, G. P.; Movement of pelagic polychaete larvae in relation to size, Konstantinova, M. I.

STRUCTURE

General.—Stolonisation and endocrinology in polychaetes (Nereiidae), Durchon, M. (3); External morphology of Codonobdella truncata, Epshetein, V. M. (2); Anatomy of Hyalinoecia tubicola Malmgren, Haffner, K. von (1); Anatomy of Eunice viridis, Haffner, K. von (2); Structural adaptations in filterfeeding animals, Gansen, P. van (4); Development of the thoracic region in Salmacina incrustans, Vannini, G. & Ranzoli, F. (1); Thoracic metamerism in Salmacina dysteri, Vannini, E. & Ranzoli, F. (2)

Caruncle.—The polychaete caruncle, Rullier, F.

Alimentary canal.—Structure of the earthworm gizzard, Gansen-Semal, P. van (3)

Vascular system.—Structure of bood vessels of Eisenia foetida, Hama, K.

Excretory system.—Morphology of the nephridium of Nereis vexillosa, Jones, M. L. (1); Anatomy and histology of the nephridia of Sabella pavonina, Koechlin, N.

Muscular system.—Muscle formation during the development of *Harmothoe imbricata*, Konstantinova, M. I.; How lugworms (Arenocolidae) move, Wells, G. P.

Nervous system.—The innervation of the intestinal canal in *Hirudo* sp., **Abraham**, A. & **Minker**,* E. ; Structure and development of the cephalic nerves in *Nereis*, **Gilpin-Brown**, J. B.; Dual innervation of muscle fibres in *Golfingia*, **Prosser** & **Sperelakis**.

Histology: Cytology.—Histological conditions in Magalia peramata, Abeloos, M. & Thouveny, Y.; The structure of the adipose cell of Glassiphonia sp., Bradbury, S. & Meek, G. A.; Histological changes during the formation of the heteronereis, Clark, R. B. (2); Sperm penetration of vitelline membrance in Hydroides, Colwin, L. H. & A. L. (1); Spermatozoon acrosomal region Hydroides, Colwin, A. L. & L. H. (2); Incorporation of sperm and egg in Hydroides, Colwin, L. H. & A. L. (3); Metachromasia of earthworm eggs, Joshi, P. V. & Kannat, D. W.; Origin of tissues involved in regeneration in Polydora sp. and Megalia sp., Thouveny, Y.; Giant nuclei in the epithelial cells of the pharynx in Lumbricus, Hancock, R. L. (1); Submicroscopic structures in embryos of Tubifex, Lehmann, F. E. & Mancuso, V. (2); Cytological observations on Lumbricidae from Greenland, Omodeo, P. (1); Regeneration and origin of germinal cells in Spirorbis pagenstecheri, Stagni, A. (1); Occurrence of giant nuclei and pharyngeal tumour in Lumbricus terrestris, Stolk, A. (2); Some structures in Cirratulus eggs. Waddington, C. H. et al.; Egg dimorphism and sex determination in Bonellia viridis, Wilcxynski, J. Z.

Teratology.—Heteromorphism and regeneration in earthworms, Gates, G. E. (4); A double-tailed individual of Eisenia foetida, Harman, W. J.; Giant nuclei and pharyngeal tumour in Lumbricus terrestris, Stolk, A. (1)

PHYSIOLOGY

Histochemistry.-Histochemistry of early developmental stages of Arenicola claparedii, Allen, M. J. (2); Histochemistry of early developmental stages of Arenicola claparedii, Allen, M. J. (3); Structure of the nuclear membrane of spermatazoa of Hirudo medicinalis, Badarany, N.; Configuration of lombricine and reptilian serine, Beatty, I. M. et al.; Distribution of glycogen and lipoids in eggs of Tubifex sp., Carrano, F. ization of enzymes in the early development of Tubifex sp., Carrano, F. & Palazzo, F. (1); A bilatriene pigment in Eupolymnia heterobranchia, Dales, R. P. (1); Histochemistry of coelomic and peritoneal cell systems of Sabellid polychaetes, Dales, R. P. (3); Histochemical and chromatographic studies on the tubes of sedentary polychaetes, **Defretin**, R. (2); Tube-building and burrowing of *Polydora ciliata*, **Dorsett**, D. A. (2); Isolation and characterisation of D-serine ethanolamine phosphodiester from earthworms, Ennor, A. H.; Annelid phosphokinases, **Hobson**, G. E. & **Rees**, K. R.; Amino-acids of haemerythrin of Sipunculus sp., Holleman, J. W. & Biserta, G.; Flavins in some invertebrate muscles, Mattisson, A. G. M.; Physiological importance on polyphenols, Monné, L.; Cytochemical analysis of the egg of Chaetopterus pergamentaceus, Mulnard, J.; Isolation and phosphorylation of lombricine, Pant, R.; Presence of l-glutamine-piruvine in oligochaetes, Petrucci, D. & Menichini, M. L.; Histochemistry of eggs of Hydroides sp., Pollicita, M.; Histochemistry of the "Urn" in the coelomic fluid of Phascolosoma scolops, Ohuye, T. O. et al.; Electron microscope studies of annelid haemaglobin, Roche, J. et al.; Presence of haemaglobin and ferritin in Arenicola marina, Roche, J. et al.; Chloragogenous tissue of carthworms, Roots, B. I. (2); The isolation of lombricine and its possible biological precursor, Rosenberg, H. & Ennor, A. H. (1); Free D-serine in earthworms, Rosenberg, H. V. & Ennor, A. H. (2); Free D-serine in the earthworm, Rosenberg, H. & Ennor, A. H. (3); Ionic gradients in spermatozoa, Steinbach, H. B. & Dunham, P. B.; The chemical composition of earthworm cuticle, Watson, M. R.

Metabolism.—Sulphur metabolism in Arenicola cristata, Abboct, W. & Awapara, J.; Synthesis of the phosphagen of the earthworm, Beatty, I. M., Ennor, A. H. & Magrath, D. I.; Cutaneous respiration in some leeches, Ferrari, G.; Cutaneous respiration in ropical earthworms, Mendes, E. G. & Nonato, E. F.; Respiratory metabolism of enchytracids and nematodes, Nielsen, C. O. (2); Enzyme production in eggs of Tubifee sp., Carrano, F. & Palazzo, F. (2); Neoplasms in Lumbricus terrestris, Hancock, R. L. (2); Biosynthesis of lombricine, Rossitter, R. J. et al. (1); Formation of lombricine in Megasolides cameroni, Rossitter, A. J. et al. (2); Chloragen tissue and urea metabolism in earthworms, Rushdi Fattouh Abdel-Fattah; Seasonal changes in temperature and oxygen consumption in Megasolex mauritii, Saroja, K.; Uptake of amino acids by marine invertebrates, Stephens, G. C. & Schinske, R. A.; In vivo incorporation of [32P] inorganic phosphate in the earthworm, Schneider, T. J. et al.; Function of chloragogenous cells in Lumbricus terrestris, Ulrich, K.; Temperature and cholinesterase activity in leeches, Ushakov, B. P. & Kusakina, A. A.; Biosynthesis of squalene by Limbricus terrestris, Woolton, J. M. & Wright, L. D.

Neurophysiology.—Neurosecretory cells in sipunculids, Akesson, B.; Neurosecretory changes induced by light and darkness in Lumbricus rubellus, Aros, B. & Vigh, B. (1); Neurosecretion in the nervous systems of earthworms, Aros, B. & Vigh, B. (2); Influence of the nervous system on regeneration in oligochaetes, Avel, M.; Neurosecretion in the Nereiidae, Defretin, R. (1); The inhibition of breeding by a cerebral hormone in Perinereis cultifera, Durchon, M. & Choquet, M.; Neurosecretion and granules of the brain of Theromyzon rude, Hagadorn, I. R. & Nishioko, R. S.; Neuro-muscular transmission in Lumbricus terrestris, Horridge, G. A. & Roberts, M. B. V.; Nervous conduction in smooth muscle of Phascolosoma, Prosser, C. L. & Melton, C. E., Jnr.; Dual innervation of muscle fibres in Golfingia, Prosser & Sperelakis; Giant-fibre reflex of the earthworm, Roberts, M. B. V.; Action of gamma-aminobuytoric acid and beta-alamine on bioelectrical activity, Vereshchagin, S. M. et al.

Luminescence.—Bioluminescence in Odontosyllis sp. off Ceylon, Atputhanathan, M.; Bioluminescence of Odontosyllis phosphorea nanaimoensis, Berkeley, E.; Lunar periodicity in spawning and luminescence in Lunar periodicity in spawning and luminescence in Codontosyllis enopla, Markert, R. E. & B. J. & Vertrees, N. J.; Marine luminescence, Tarasov, N. I. (1).

Effect of stimuli.—Effect of temperature on sexual development and regeneration in Eusyllis blomstrandi, Boilly, B.; Effect of ryanodine on muscle, Haslett & Jenden; Lunar periodicity and swarming in Platyneris dumerilii, Hauenschild, C. (2); Relation of natural and imposed electrical potentials and respiratory gradients to morphogenesis, Flickinger, R. A. & Blount, R. W.; Respones of earthworms to sodium

chloride, quinine, sugars and touch, Laverack, M. S.; Tactile responses and chemical perception in earth-worms, Laverack, M. S.; Luminescence and spawning, correlation with lunar periodicity in Odontosyllis enobla, Markert, R. E. & B. J. & Vertrees, N. J.; Effect of sodium azide on eggs of Tubife sp., Palazzo, F.; Seasonal distribution of Tubificidae in Rybinsk Reservoir, Poddubraja, T. L. (1); Responses to stretch in non-striated muscles of Golfingia and Mustelus, Prosser, C. L. et al.; Effect of hexoestrol on earthworms, Raw, F.; Relationship of temperature and oxygen to the settlement of Hydroides norvegica, Reish, D. J. (1); Light and oxygenation of the haemaglobin of Tubifex tubifex, Scheler, W.; The effects of urethan on the cleavage of the Chatopterus egg, Schuel, H.; Tolerance of Nereids to low salinities in relation to temperature and reproduction, Smith, R. I.; Response of Dasychone cingulata to shadow, Srinivasagam, R. T. (1); Responses of Dasychone cingulata to shadow, Srinivasagam, R. T. (1); Responses of Dasychone cingulata to shadow, Srinivasagam, R. T. (1); Responses of Dasychone cingulata to photic stimulation, Srinivasagam, R. T. (2); Effects of calcium and potassium on the regeneration of the caudal region of Nereis diversicolor, Stephan-Dubois, F.; Effects of salinity on Mercierella enigmatica in the Black Sea, Turpaeva, E. P.; Effect of urea on muscle fibres, Ushakov, B. P. & Krolenko, S. A.; Action of gamma—aminobuytoric acid and beta alamine on bioelectrical activity, Vereshchagin, S. M. et al.

Learning: Behaviour.—Learning in Nereis pelagica, Clark, R. B. (3); Behaviour of commensal polychaetes, Hickok, J. F. & Davenport, D.; Feeding habits of Melinna palmata Grube, Dragoli, A. L.; Feeding of Limnodrilus spp. in a reservoir, Poddubuaja, T. L. (2)

REPRODUCTION AND DEVELOPMENT

Reproduction.—Breeding seasons of polychaetes from Puerto Rico, Allen, M. J.; Self-fertilization in Eisenia fostida Savigny, p. 3096, André, F.; Swarming of Odontosyllis phosphorea nanamoensis, Berkeley, E.; Spawning of Neanthes succinea, Carpelan, L. H. & Linsley, R. H.Monoxenic cultivation of Enchytraeus fragmentosus, Dougherty, E. & Solberg, B. (1); Axenic cultivation of Enchytraeus fragmentosus, Dougherty, E. C. & Solberg, B. (2); Fertilization in Hydroides hexagonus, Colwin, L. H. & A. L. (3); Reproduction in the Enchytraeidae, Christensen, B.; Reproduction and growth of Polydora ciliata, Dorsett, D. A. (1); Spermatogenesis and fertilization among invertebrates, Franzen, A.; Lunar periodicity and swarming in Platymereis dumerilii, Hauenschild, C. (2); Swarming in Platymereis dumerilii, Hauenschild, C. (3); Spawning meturation and artificial mig mechanism in the male of Arenicola marina, Howie, D. I. D. (2); Spawning, maturation and artificial fertilization of the eggs of Arenicola marina, Howie, D. I. D. (3); Spawning and luminescence, correlation with lunar periodicity in Odontosyllis enopla, Markert, R. E. & B. J. & Vertrees, N. J.; Reproduction in Cystobranchus respirans, Wojtan, F.

Paethenogenesis.—Parthenogenesis in Pheretima, Gates, G. E. (6)

Sex.—Sex variability in Ophryotrocha puerilis, Bacci, G. & Bortesi, O. (1); Sex determination and egg dimorphism in Bonellia viridis, Wilczynski, J. Z.

Life-history.—Life history and breeding of Eunice viridis, Caspers, H.; Life history of Erpobdella testacea, Mann, K. H. (2)

Development.—Development of Golfingia elongata, Akesson, B.; Cytochemistry of developing occytes of

1]

arth

wn-

J.;

insk

s to

telus, arthand ish, in of

n on

erae of T.

ula-

and

n of

Sea, ores, na rical

gica,

olyling L.;

aja,

etes

in ing E.;

aeus

1);

gh-

n in

ion

1);

in ing

wn-

cial

ion

in

ma,

egg

nice

cea,

ata.

of

Diopatra cuprea, Allen, M. J. (2); Development of Habloscolopos fragilis, Anderson, D. T.; Formation of the heteronereis, Clark, R. B. (2); Relation of natural and imposed electrical potentials and respiratory gradients to morphogenesis, Flickinger, R. A. & Blount, R. W.; Development and structure of the cephalic nerves in Nereis, Gilpin-Brown, J. B.; Muscle formation during the development of Harmothoe imbricata, Konstantinova, M. I.; Development of Fabricia sabella, Lewis, D. B.; Factors influencing Lumbricid postembryonic development, Michon, J.; Development of the "Urn" in the coelomic fluid of Phascolosoma scolops, Ohuye, T. O. et al.; Early development of Protula sp. (Serpulidae), Tampi, P. R. S.; Cleavage of the Chaetopterus egg and the effects of urethan, Schuel, H.

Regeneration.—Conditions for regeneration in Magalia perarmata, Abeloos, M. & Thouveny, Y.; Influence of the nervous system on regeneration in oligochaetes, Avel, M.; Regeneration of the anterior region in Eusyllis blomstrandi, Boilly, B.; Caudal regeneration in Nereis diversicolor, Clark, R. B. & Evans, S. M.; Caudal regeneration in the Nereiidae, Durchon, M. (1); Regeneration and heteromorphism in earthworms, Gates, G. E. (4); Regeneration in Platymereis dumerilii, Hauenschild, C. (1); Factors influencing regeneration in Eisenia foetida, Kawakami, I. K.; Regeneration and growth of Bimastus zeteki, Murchie, W. R. (1); Aestivation and caudal regeneration in Allolobophora icterica, Saussey, M. (3); Caudal regeneration in Allolobophora icterica Saviny, Saussey, M. (4); Origin of germinal cells and regeneration in Spirorbis pagenstecheri, Stagni, A. (1); Development of sexual elements in a regenerating specimen of Spirorbis pagenstecheri, Stagni, A. (2); Effects of calcium and potassium on the caudal diversicolor, Stephan-Dubois, F.; Regeneration in Allolobophora spp., Thermes, G. (1, 2 & 3).

EVOLUTION AND GENETICS

Evolution.—Aestivation and evolution of the genital apparatus in Allolobophora icterica, Saussey, M. (2); Classification and phylogeny of the oligochaeta, Yamaguti, H.

Genetics.—Multiple sex genotypes in Ophryotrocha puerilis, Bacci, G. & Bortesi, O. (1); Multiple sex genotypes in Ophryotrocha puerilis, Bacci, G. & Bortesi, O. (2); Ophelia bicornis Savigny, variation, Bellan, G. (4)

ETHOLOGY

Ecology.—Ecology of polluted inland waters of the Transvaal, Allanson, B. R. & Gieskes, J. M. T. M.; Oxygen and chlorine concentrations and pH in the polychaete environment, Amoureux, L.; Ecology of the Vellar Estuary, southern India, Balasubrahmanyan, K. (1); Leech in anus of Malayan tortoise, Batchelor, D. M.; Aspects of the ecology of moorland animals, Cragg, J. B.; Ecology and distribution of northern European Lumbricids, Füller, H.; Ecology and seasonal activity of North American earthworms, Gates, G. E. (5); Ecology and seasonal activity of Indian and Burmese earthworms, Gates, G. E. (5); Ecological distribution of Lumbricids in a calcareous soil, Haro, A. de (1); Eophila hispanica in calcareous soil, Haro, A. de (2); Ecology of soil Enchytracids, Kurt, L. A.; Factors limiting range of freshwater animals, Macan, T. T.; Ecological effects

of sewerage pollution, McNulty, J. K.; Ecological notes and keys to British freshwater leeches, Mann, K. H. (1); Marine ecology, Moore, H. B.; Ecological studies on a rocky coast, N. France, Plessis, Y.; Ecological observations on Sabellaria at Lavinio, Rivosecchi, E. T.; Ecological notes on Malayan leeches, Sharma, R. E. & Fernando, C. H.; Ecological notes on Branchina sowerbyi in Russia, Sokolskaya, N. L. (1); Ecology of annelids in Lake Ohrid, Stankovic, S.; Ecology of the Salton Sea, California, Walker, B. W.; Notes on the ecology of Trocheta bykowskii and Hirudo medicinalis in Scotland, Warwick, T.; Distribution and ecology of freshwater leeches in a locality in Scotland, Williams, R. G. F.; Ecology and distribution of Czechoslovakian earthworms, Zajone, I. (1); Ecology of Lumbricidae in S.W. Czechoslovakia, Zajone, I. (4); Ecology of Czechoslovakia earthworms, Zajone, I. (5).

Bionomics.-Physico-chemical and biological studies in the Black Sea, Bačescu, M., Serpoianu, N. et al.; Marine biotopes of the coasts of Corsica, Bellan, G. (5); Natural and artificial aestivation in Eophila dollfusi, Boulot, M. & Gallissian, A.; Placobdella sp. parasitizing Aplodinotus sp., Oklahoma, Branson, B. A.; Studies of soil animals of arctic tundra, Chernov, Yu I.: Factors influencing settlement of Spirorbis borealis, Crisp, D. J. & Ryland, J. S.; Biology of Danish brackish-water oligochaeta, Dahl, I. O.; Sedimentation and oligochaeta populations of Lake Maggiore, Della Croce, N.; Changes caused by earthworms in the chemical composition of humus, Gawronski, E.; Population studies of commensal crabs of Chaetopterus, Gray, J. E.; Hirudo medicinalis parasitising Bufo bufo in coitu, Hoffmann, J.; Changes in the soil after digestion by Lumbricus herculeus, Jeanson-Luusinang, C. (1); Changes in the organic and mineral fractions of the soil by the action of Lumbricus herculeus, Jeanson-Luusinang, C. (2); A quantitative study of the benthic fauna off California, Jones, M. L. (3); The combined activity of earthworms and the microflora in forest soils, Kozlovskaya, L. S. & Zhdannikova, E. N.; Interactions between New Zealand and introduced earthworms, Lee, K. E.; Inter-relations of bottom faunae of Lake Maggiore, Lenz, F.; Quantitative differences in the fauna of mud associations in the North Sea and western Scotland, McIntyre, A. D. (2); Earthworms and the soil, Mellanby, K.; Distribution of Polish oligochaetes, Moszynski, A. & M.; Polydora ciliata boring into wood, Nair, N. B.; Comparison of earthworm populations in normal and polluted soils, Neumann, G.; Micro-distribution of Enchytraeidae, Nielsen, C. O. (1); Dispersion of radioisotopes in the soil by Allolo-bophora caliginosa, Pered'skii, A. A. et al.; Analysis of earthworm material in molehills (Talpa europaea) in Poland, Plisko, J. D. (2); Feeding of Limnodrilus spp. in a reservoir, Poddubuaja, T. L. (2); Optimal feeding conditions of Limnodrilus spp. in connection with scil removal, Poddubuaja, T. L. & Sorokin, G. I.; Settlement of Hydroides norvegica, Reosh, D. J. (1); Population fluctuations in Enchytraeus albidus and regulation, Reynoldson, T. B.; Aestivation of Lumbricus festivus and L. rubellus in western France, Saussey, M. (1); Aestivation and evolution of the genital apparatus in Allolobophora icterica, Saussey, M. (2); Tolerance of Nereids to low salinities in relation to temperature and reproduction, Smith, R. I.; Effect of copper anti-foulants on fouling organisms, Turpaeva, E. P. & Simkina, R. G. Effects of cultivation on earthworm populations in desert and meadow soils, Valiakhmedov, B. & Perel, T. S.; Biometric studies of Czechoslovakian earthworms, **Zajonc**, I. (2); Czechoslovakian distribution and ecology of *Eophila antipai tuberculata* Cernosvitov, **Zajonc**, I. (3).

Associations.—Polychaetes associated with Lithophyllum incrustans, Benard, F.; Recent evolution of a marine invertebrate fauna near Naples, Sacchi, C. F.; Animal and sediment relationships, Sanders, H. L.; Worm and coral communities, Schindewolf, O. H.

GEOGRAPHICAL DISTRIBUTION

Europe.—Revised list of Aphroditidae, Eire, Aitken, J.; Troglochaetus beranecki from Hungary, Andrassy, J. J.; Troglochaetus beranecki from Hungary, Andrassy, I.; Keys to Central European Hirudinea, Autrum, Physico-chemical and biological studies in the Black Sea, Bacescu, M., Serpoianu, N. et al.; Polychaetes from the northern Adriatic, Banse, K. (2); Polychaetes from Portugal, Bellan, G. (1); Polychaetes associated with Lithophyllum incrustans near Roscoff, Bénard, F.; Czechoslovakian oligochaetes, Benes, J.; Nov. gen. and sp. of Nerillidae from western Sweden, Boaden, P. J. S.; Fauna of a stone coral near Bergen, Burden-Jones, C. & Tambs-Lyche, H.; Oligochaeta from Latvia, Chekanov-skaya, V. V.; The polychaete fauna of the Clyde sea area, Scotland, Clark, R. B. (1); Syllidae of Brittany, Cognetti, G.; Oligochaete faunae of three brackish water areas in Denmark, Dahl, I. O.; Sedimentation and oligochaeta populations of Lake Maggiore, Della Croce, N.; New sp. Piscicola from the Danube and western Russia, Epstein, V. M. (3); An underwater survey on coast of southern England, Forster, G. R.; Distribution and ecology of northern European Lumbricids, Füller, H.; Distribution of aquatic oligochaetes in Lithuania, Griglyalis, A. I.; Ecological distribution of the Lumbricids of Tarragona, Haro, A. de (1); Eophila hispanixa in calcareous soil in Tarragona, Haro, A. de (2); Aquatic oligochaetes from the Balkans, Hrabe, S. (1); The invertebrate fauna of a Welsh mountain stream, Hynes, H. B. W.; New Enchytraeid from Sweden, Jansson, B.-O.; Polychaeta from the Skagerrak, Denmark, Kirkegaard, J. B.; Brackish water leeches from S.W. Finland, Koli, L. (1); Acanthobdella peledina in Finland, Koli, L. (2); Interrelations of bottom faunae of Lake Maggiore, Lenz, F.; Distribution of Hirudo medicinalis in the U.S.S.R., Lukin, E. I. (1); New Sphaerodorid from Sweden, Lützen, J.; Polychaetes new to Scotland, McIntyre, A. D. (1); Quantitative differences in the fauna of mud associations in the North Sea and western Scotland, McIntyre, A. D. (2); Lumbricidae of the forest zone in Russia, Malevich, I. I. (2); New information on the distribution of Russian oligochaetes, Malevich, I. I. (3); Notes on the freshwater-fauna of N.W. Spain, Margalef, R.; Polychaeta from the Bulgarian Black Sea coast, Marinov, T. (1); Archiannelida of the Black Sea, Marinov, T. (2); Oligochaetes in thermal waters of Yugoslavia, Matoničkin, I.; Account of the Oligochaeta of Poland and nearby countries, Moszynski, A. & M.; Finnish Enchytraeidae, Nurmineu, M.; New species and records of earthworms from the French Pyrenees, Omodeo, P. (4); New records and species from Roscoff, Parenti, U.; Ecology of the benthic fauna off Taranto, Parenzan, P.; Ecological studies, French coast, English Channel, Plessis, Y.; Seasonal distribution of Tubificidae in Rybinsk Reservoir, Poddubraja, T. L. (1); Annelids from ponds in the Oltina area, Rumania, Popescu-Gorj, A. & Costea, E.; New genus of Acolosomatidae from Italy, Ruttner-Lolisko, A.; Recent evolution of a marine invertebrate fauna near Naples, Sacchi, C. F.; Aestivation of Lumbricus festivus and L. rubellus in western France, Saussey, M. (1); Oligochaetes of Isle of Zannone, Pontine Archipelago, Sciacchitano, I. (1); Ophelia rathkei in Scotland, Scott, A.; Russian Tubificidae, Sernal-van Gansen, P. (2); The bottom fauna of the Baltic, Shurin, A. T.; New Piscicolid leech from Wales, Silva, P. H. D. H. de & Burdon-Jones, C.; Sphaerodorum sp. in the southern Baltic, Sindxinski, K. & Zmudzinski, L. L. List of Latvian leeches, Sloka, T.; Branchuira sowerbyi in Russia, Sokolskaya, N. L. (1); Swiss Enchytracidae, Stöckli, A.; Lumbricidae of Estonia, Timm, T.; Effects of salinity on Mercierella enigmatica in the Black Sea, Turpaeva, E. P.; Annelida in fauna of Black Sea, Yalkanov. A.; Earthworms of Vonderpfelz, Volz, P.; Polychaeta and oligochaeta of Holland, Vos, A. P. C. de; The vice-county distribution of freshwater leeches in Scotland, Warwick, T.; Distribution and ecology of freshwater leeches in a locality in Scotland, Williams, R. G. F.; The bottom fauna in the German bight, Ziehelmeier, E.; Earthworm fauna on the banks of the Danube, Zicsi, A. (1); Ecology and distribution of Czechoslovakian earthworms, Zajone, I. (1); Czechoslovakian distribution of Eophila antipai tuberculata Cernosvitov, Zajone, I. (3); Ecology of Czechoslovakian earthworms, Zajone, I. (4); Czechoslovakian earthworms, Zajone, I. (5); Ecology of Czechoslovakian earthworms, Zajone, I. (6).

Asia.—Bioluminescence in Odontosyllis sp. off Ceylon, Atputhanathan, M.; Cosswa delta from the Vellar Estuary, India, Balasubrahmanyan, K. (2); Polychaeta of the Vellar Estuary, southern India, Balasubrahmanyan, K. (1); New Sabellids from the Red Sea, Banse, K. (1); Studies of soil animals of the Russian arctic tundra, Chernov, Yu I.; The endemic leech, Tracheobdella troquata [sic] from the Baikal Sea, Epshtein, V. M. (1); Baikal Sea, endemic leech, Epshtein, V. M. (2); Eudichogaster spp. from India (2), Gates, G. E.; Acanthodrilinid earthworms from Burma and India, Gates, G. E. (3); Pheretima urceolata (Horst) from Sumatra and the Philippines, Gates, G. E. (6); Comparison of Palearctic and Baikal leech faunae, Lukin, E. I. (2) Distribution of Hirudo medicinalis in the U.S.S.R., Lukin, E. I. (1); Review of Baikal and other related Glossiphonidae, Lukin, E. I. & Epshtein, V. M.; New information on the distribution of Russian oligochaetes, Malevitch, I. I. (3); Aclosomatidae and Naididae of South India, Naidu, K. V.; Polychaetes from Ceylon, Pillai, T. G.; New spp. of Indian Enchytraeidae, Prabhoo, N. R.; Leeches from Afghanistan, Sciacchitano, I. (4); Ecological notes on Malayan leeches, Sharma, T. E. & Fernando, C. H.; New polychaeta from Ceylon, Silva, P. H. D. de (2); Branchiura sowerbyi in Russia, Sokolskaya, N. L. (1); Naididae of Afghanistan, Sperber, C.; Annelids in Lake Ohrid, Stankovic, S.; Pheretima communissima in Hokkaido, Takahashi, T. & Yamaguchi, H.; General review of all aspects of Indian earthworms, Tembe, V. B. & Dubash, P. J.; New species of Polynoe from Sakhalin, Ushakov, P. V. (1); Phyllodocidae and Aphroditidae from the Yellow Sea, Uschakov, P. & Wu, B. L. (1); List of polychaetes from the China Sea, Uschakov, P. & Wu, B. L. (2); Relict fauna of the Norilskii lakes, Russia, Vershinin, N. V.

Africa.—Ecology of polluted inland waters in the Transvaal, Allanson, B. R. & Gieskes, J. M. T. M.; New Sabellids from the Red Sea, Banse, K. (1); Polychaets of Inhaca Island, Lourenço Marques, with a key to the common species, Day, J. H. (1); Sedentary

of

biom lid

n-

ia, H, of a,

z, s,

d,

le

I.

ai

of

Ī.

/-|-

d

e

C

1,

a ...

n

d

n

a

polychaeta from near Cape Town, Day, J. H. (2); Sedentary polychaetes from the coasts of the Congo, Jeldes, F. & Lefevere, S.; Hirudo michaelseni from Tibesti, Chad, Pawlowski, L.-K. & Jarry, D.-M.; Oligochaeta from Somalia, Sciacchitano, I. (2); Oligochaetes collected in South African inc. one sp. nov., Sciacchitano, I. (3); Echiura and Sipuncula from Senegal, Stephen, A. C. (2).

North America.—The spawning of Neathes succinea in California, Carpelan, L. H. & Linsley, R. H.; Plankton, hydrology and marine fouling at Heard Island, Ealey, E. H. M. & Chittleborough, R. G.; Branchiura sowerbyi in Oklahoma, Evans, K. J.; Aquatic oligochaetes from Louisiana, Harman, W. J. & Platt, J. H.; Polychaetes of California, Hartman, O.; New genus and species of Branchiobdellid from Kentucky, Holt, P. C.; A quantitative study of the benthic fauna off California, Jones, M. L. (3); Sewerage pollution, sediments and distribution of benthic and fouling macro-organisms off Florida, McNulty, J. K.; Distribution and ecology of Binastus zeteki in northern Michigan, Murchie, W. R. (1); A new species of Diplocardia from Florida, Murchie, W. R. (2); New species of Diplocardia from Florida, Murchie, W. R. (2); New species of Diplocardia from Illinois, Murchie, W. R. (3); Ecology of benthic organisms in Illinois, Paloumpis, A. A. & Starrett, W. C.; Benthic invertebrates of Maryland, Pfitzenmeyer, H. T.; Marine and brackish water fauna of Florida, Tabb, D. C. & Manning, R. B.; Ecology of the Salton Sea, California, Walker, B. W.; Annelids of rivers of southern U.S.A., Wurtz, C. B. & Robuck, S. S.; New Polydora sp. from California, Woodwick, K. H.

Central America: West Indies.—Breeding seasons of Caribbean polychaetes, Allen, M. J.; Earthworms of El Salvador, inc. spp. nov., Graff, O.; New polychaetes from the Gulf of Mexico, Jones, M. L. (2); Polychaetes of the east coast of Mexico, Rioja, F.

South America.—Polychaetes of Peru, Hartmann-Schröder, G. (2); Names of leeches from the Argentine, Ringuelet, R. A.; Polychaeta errantia of Chile, Wesenberg-Lund, E.

Australia.—Sipunculids from New Zealand and the Chatham Islands, Edmonds, S. J. (1); Tasmanian leeches, Ingram, D. M.; New Longosomid from New Zealand, Knox, G. A. (1); Polychaeta errantia from the Chatham Islands, Knox, G. A. (2)

Mediterranean.—Polychaetes collected in the Mediterranean, Bellan, G. (2); Polychaetes collected in the Mediterranean by the Calypso, Bellan, G. (3); Marine biotopes of the coasts of Corcisa, Bellan, G. (5); New genus and species of Hesionidae from the Mediterranean, Laubier, L. (1); New species of Acanthicolepis from the Mediterranean, Laubier, L. (2); Oligochaeta of Sicily, inc. new records, Omodeo, P. (2); Distribution of oligochaetes in the larger islands of the Mediterranean, Omodeo, P. (3); Planktonic polychaetes of the Mediterranean, Rose, M.; Two spp. Lumbricid recorded from Lampedusa, Sciacchitano, I. (5).

Atlantic Ocean.—Identification of larvae of Disomidae, Poecilochaetidae, Spionidae of the eastern North Atlantic, Hannerz, L.; New species of polychaetes from the Atlantic Ocean, Pettibone, M. H.; Leeches of the Azores and Madeira, Sciacchitano, I. (6); New Piscicolid leech from Iceland, Silva, P. H. D. H. de & Kabata, Z.; Distribution of pelagic polychaetes in the South Atlantic Ocean, Tebble, N.

Arctic Ocean: Greenland.—Littoral oligochaeta of the White Sea, Malevich, I. I.; Sphaerosyllis sp. and Phalacrophorus sp. in Barents Sea plankton, Mileikovsky, S. A. (1); Identification of Rostraria plankton of Norwegian and Barents Sea, Mileikovskii, S. A. (2); Lumbricidae and Lumbriculidae of Greenland, Omodeo, P. (1); Pelagic polychaete larvae of the White Sea, Sveshnikov, V. A.

Pacific Ocean.—Pelagic polychaetes fom northeast Pacific, Berkeley, E. & C.; Northeastern Pacific bottom fauna, Filatova, Z. A. & Levenstein, R. J.; Earthworms from Rennell Island, Gates, G. E. (1); Pheretima minima (Horst) from Hawaii, Gates, G. E. (6); Polychaetes from Kamchatka, Imajima, M.; New bottom-dwelling polychaeta from the Bering Sea, Levenstein, R. J. (1); Quantitative distribution of polychaeta in the northwestern Bering Sea, Levenstein, R. J. (2); Quantitative distribution of the North Pacific polychaeta, Levenstein, R. J. (3); Polychaeta from the Bering Sea, Levenstein, R. J. (4); New species of Micronereis from the Marshall Islands, N. S. (2); New species of Micronereis from the Marshall Islands, N. L. (2); New spp. family Phyllodocidae from the northwestern Pacific, Ushakov, P. V. (2); Pacific polychaetes and sipunculida, Ushakov, P. V.; New Echiura of Bering and Okhotsh seas, Zenkevich, L. A. (1); Echiuridae, new and known, of the northwestern Pacific, Zenkevitch, L. A. (2).

Antarctica.-New Antarctic leeches, Moore, J. P.

SYSTEMATIC INDEX

ANNELIDA

ARCHIANNELIDA

Dinophilus gyrociliatus Schmarda, Black Sea, p. 122, Marinov, T. (2).

Meganerilla gen. nov. (Nerillidae), p. 553, type: swedmarki sp. nov., western Sweden, p. 553, Boaden, P. I. S.

Nerilla antennata Schmarda, Black Sea, p. 122, Marinov, T. (2).

Protodrilus flavocapitatus (Uljanin), Black Sea, p. 121, Marinov, T. (2).

Saccocirrus papillocercus Bobretzky, Black Sea, p. 121, Marinov, T. (2).

Trilobodrilus heideri Remane, Black Sea, p. 123, Marinov, T. (2).

Troglochaetus beranecki Delachaux, Hungary, p. 374, Andrássy, I.

POLYCHAETA

Acanthicolepis McIntosh, key to species, p. 11, cousteaui sp. nov., Mediterranean, 268 m., p. 3, asperrima (Sars), taxonomic note, p. 8, Laubier, L. (2).

Amaeana trilobata (Sars), Cape Town, p. 533, Day, J. H. (2).

Amage scotica Clark, Scotland, p. 361, McIntyre, A. D. (1).—A. asiaticus Uschakov, Bering Sea, p. 170, Levenstein, R. J. (4).

Ammotrypane grandis sp. nov., Ceylon, p. 25, Pillai,

Ampharetidae, syst. note, p. 525, Day, J. H. (2).

Ampharete acutifrons Grube, Cape Town, p. 527, Day, J. H. (2).—A. labrops sp. nov., p. 127, California, Hartman, O.—A. debrouweri sp. nov., p. 10, Congo, Jeldes, F. & Lefevere, S.—A. aretica gagarae Uschakov, Bering Sea, p. 168, Levenstein, R. J. (4).

Amphicteis gunneri (Sars). Cape Town, p. 527, Day, J. H. (2).—A. pennata sp. nov. p. 12, Congo, Jeldes, F. & Lefevere, S.

Amphiduros pacificus sp. nov., p. 65, California, Hartman, O.

Amphiglena mediterranea (Leydig), Cape Town, p. 542, Day, J. H. (2).

Amphinome vagans (Savigny), new record, Chile, p. 36, Wesenberg-Lund, E.

Ancistargis gen. nov. (Pilargidae), p. 2, type: papillosus sp. nov., p. 3, Gulf of Mexico, Jones, M. L. (2).

Ancistrasyllis quellina sp. nov., Chile, p. 68, Wesenberg-Lund, E.—A. groenlandica McIntosh, Scotland, p. 354, McIntyre, A. D. (1).

Anisoceras Grube, 1856 (non Dejean, 1833) Papilliodorvillea nom. nov. (Dorvilleidae), p. 181, Pettibone, M. H.

Antinoe kermadecensis (McIntosh), redescr., p. 85, antarctica (Bergstrom), p. 87, epitoka Monro, p. 87, purpureus sp. nov., p. 89, Chatham Islands, Knox, G. A. (2).

Aonides Claparède, key to larvae, N. Atlantic, p. 8 fig., Hannerz, L.—A. oxycephala (Sars), Cape Town, p. 490, Day, J. H. (2).—A. paucibranchiatus Southern, Bulgarian coast Black Sea, p. 112, Marinov, T. (1).

Asychis capensis sp. nov., near Cape Town, p. 521 fig., Day, J. H. (2).—A. ramosus sp. nov., Bering Sra, p. 165, Levenstein, R. J. (4).

Arabella mutans logani Crossland, Ceylon, p. 182, Silva, P. H. D. H. de (2).

Arcteobra sp., Kamchatka, p. 84, Imajima, M.

Arenicola cristata Stimpson, metabolism, p. 357, Abbott, W. & Awapara, J.—A. marina Linnacus, ecology, p. 209, Amoureux, L.—A. glacialis peruana subsp. nov., Peru, p. 37, Hartmann-Schröder, G. (2).—A. marina (Linn.), spawning, p. 127, Howie, D. I. D. (2).—A. marina Linnaeus, Bulgarian coast Black Sea, p. 115, Marinov, T. (1).—A. caroledna sp. nov., Woods Hole, Mass., p. 10 (syn. [sic] var. brasiliensis Nonato) p. 9, cristata Stimpson (syn. antillensis Lütken), redescr., p. 10, Wells, G. P.

Aricia norvegica Sars, Bering Sea, p. 158, Levenstein, R. J. (4).

Aricidea (Aricidea) capensis sp. nov., p. 481, (Aricidea) longobranchiala sp. nov., p. 482, fauveli Hartman (syn. assimilis Tebble), p. 482, Cape Town, Day, J. H. (2).—A. suecica Eliason, Scotland, p. 358, McIntyre, A. D. (1).—A. jeffreisii (McIntosh), Bulgarian coast Black Sea, p. 113, Marinov, T. (1).

Armandia intermedia Fauvel, p. 516, leptocirrus Grube, p. 516, Cape Town, Day, J. H. (2).

Autolytus ornatus (Verrill), breeding Caribbean, p. 49, Allen, M. J.—A. chathamensis sp. nov., Chatham Islands, p. 109, Knox, G. A. (2).—A. charcoti Gravier, p. 67, longstaffi Ehlers, p. 67, (Polybostrichus) maclearamus McIntosh, p. 68, new records, Chile, Wesenberg-Lund, E.

Axiothella quadrimaculata Augener, Cape Town, p. 523, Day, J. H. (2).—A. sp., Kamchatka, p. 92, Imajima, M.—A. tambalagamensis sp. nov., Ceylon, p. 30, Pillai, T. G.

Bispira rugosa monterea Monro, transf. to Distylidia as monroi nom. nov., p. 129, Hartman, O.

Boccardia basilaria sp. nov., p. 95, California, Hartman, O.—B. pseudonatrix sp. nov., near Cape Town, p. 493 fig., Day, J. H. (2).

Brada villosa var. capensis var. nov., near Cape Town, p. 510 fig., Day, J. H. (2).

Brada irenaia Chamberlin, Bering Sca, p. 159, Levenstein, R. J. (4).

Branchiomma quadrioculatum Willey, Cape Town, p. 539, Day, J. H. (2).

Branchiosyllis diazi sp. nov., eastern Mexico, p. 242, Rioja, E.

Calamyzas amphictenicola Arwidsson, p. 78, California, Hartman, O.

Callizona nasuta Greef, p. 790, angelini (Kinberg), p. 790, N.E. Pacific, Berkeley, E. & C.

Capitella capitata (Fabricius), Cape Town, p. 518, Day, J. H. (2).

Capitellides giardi Mesnil, Bulgarian coast Black Sea, p. 115, Marinov, T. (1).

Capitomastus minimus Lang., Bulgarian coast Black Sea, p. 115, Marinov, T. (1).

Caulleriella capensis (Monro) (? syn. Dodecaceria afra Aug.), p. 500, acicula sp. nov., p. 501, Cape Town, Day, J. H. (2).—C. hamata (Hartman), n. comb., p. 107, Hartman, O.

Ceratocephala loveni Malmgren, Bering Sea, p. 154, Levenstein, R. J. (4).—G. borealis Wesenberg-Lund, Scotland, p. 354, McIntyre, A. D. (1).

Ceratonereis mirabilis Kinberg, breeding Caribbean, p. 52, Allen, M. J.

Chaetacanthus magnificus (Grube), breeding Caribbean, p. 54, Allen, M. J.

Chaetopterus varieopedatus Cuv., Cape Town, p. 497, Day, J. H. (2).

Chaetozone Malmgren, taxonomic note, p. 106, multioculata sp. nov., p. 110, California, Hartman, O.— C. setosa Malm., Cape Town, p. 505, Day, J. H. (2).

Chone filicaudata Southern, Cape Town, p. 542 fig., Day, J. H. (2).

Cirratulus filiformis Keferstein, p. 499, gilchristi sp. nov., p. 500, sp., p. 500, Cape Town, Day, J. H. (2).

Cirriformia tentaculata (Montagu), Cape Town), p. 499, Day, J. H. (2).—C. maryae sp. nov., Ceylon, p. 186, Silva, P. H. D. H. de (2).

Clymene lyrocephala Schmarda, glandularis Day, mossambica Day, natalensis Day transf. to Euclymene, microcephala Schmarda (syn. of lumbricalis Fabr.) transf. to Nicomache, saldanha Day transf. to Macroclymene, p. 520, **Day**, J. H. (2).

Clymenella cincta (Saint-Joseph), p. 126, California, Hartman, O.

Cossura delta Reish, Vellar Estuary, India, p. 264, Balusubrahmanyan, K. (2).—C. longocirrata Webster & Benedict, larva descr., northeast Pacific, p. 792, Berkeley, E. & C.

ai,

28

rt.

'n,

n-

p.

12,

ia,

p.

8,

ea,

a,

fra

m.

p.

d,

p.

n,

17,

g.,

p.

da

H.

a,

2.

Dalhousiella ancuda sp. nov. Chile, p. 49, Wesenberg-Lund, E.

Dasybranchus bipartitus (Schmarda) Cape Town, p. 519, Day, J. H. (2).—D. caducus (Grube), Scotland, p. 360, McIntyre, A. D. (1).

Dasychone violacea (Schmarda), p. 538, capensis McIntosh, p. 538, nigromaculata (Baird), p. 539, natalensis (Kinberg), p. 539, Cape Town, Day, J. H. (2).

Diopatra rhizoicola sp. nov., Peru, p. 20, Hartmann-Schröder, G. (2).—D. neapolitana Delle Chiaje, Ceylon, p. 13, Pillai, T. G.

Diplocirrus capensis sp. nov., near Cape Town, p. 509 fig., Day, J. H. (2).

Disoma Oersted, larvae, N. Atlantic, p. 12, Hannerz,

Distylidia gen. nov., type: Distylia rugosa Moore, p. 129, monroi nom. nov. pro Bispira rugosa monterea Monro, p. 129, Hartman, O.

Dodecaceria afra Aug., ? syn. of Caulleriella capensis (Monro), p. 500, laddi Hartman, p. 505, capensis sp. nov., p. 504, Cape Town, Day, J. H. (2).—D. concharum Oersted, Scotland, p. 360, McIntyre, A. D. (1).

Dorvillea Parfitt (syn. Staurocephalus Grube, 1855 non Barrande, 1846, & Teleonereis Verrill & Stauroceps Verrill), redef., p. 182, **Pettibone**, M. H.

Drilonereis zenkevitchi sp. nov., Bering Sea, p. 157, Levenstein, R. J. (4).

Ephesia Rathke, transf. to synonymy of Sphaerodorum Oersted, p. 413, Lützen, J.

Eteone aurantiaca Schmarda, Chatham Islands, p. 114, Knox, G. A. (2).—E. bistriata sp. nov., northwestern Pacific, p. 208, Ushakov, P. V. (2).—E. (Mysta) tchangsii, sp. nov., Yellow Sea, p. 8, Uschakov, P. & Wu, B. L. (1).—E. rubella Ehlers, new record, Chile, p. 47, Wesenberg-Lund, E.

Euchone capensis sp. nov., near Cape Town, p. 540 fig., Day, J. H. (2).

Euclymene glandularis (Day), n. comb., p. 520, luderitziana, p. 520, lombricoides (Quatrefages), p. 520, lyrocephala (Schmarda) n. comb., p. 520, mossambica (Day) n. comb., p. 520, natalensis (Day) n. comb., p. 521, Cape Town, Day, J. H. (2).—E. lombricoides (Quatrefages), Scotland, p. 361, McIntyre, A. D. (1).

Eucrantha mollis (McIntosh), new record, Chile, p. 26, Wesenberg-Lund, E.

Eudontosyllis gen. nov., p. 105, type: aciculata sp. nov., p. 105, Chatham Islands, Knox, G. A. (2).

Eulalia (Sige) venustissima sp. nov., northern Adriatic, p. 296, Banse, K. (2).—E. viridis capensis Schmarda, p. 122, (Pterocirrus) megalhaensis Kinberg (syn. brevicornis Ehlers), p. 112, (Euphylla) subgen. nov., type: benthicola sp. nov., p. 113, Chatham Islands, Knox, G. A. (2).—E. sphaerocephala sp. nov., Bering Sea, p. 150, Levenstein, R. J. (4).

Eumenia reticulata McIntosh, redescr., syst. note, ? transf. to Hyboscolex, p. 516, Day, J. H. (2).

Eumida bifoliata (Moore), n. comb., California, p. 61, Hartman, O.

Eunice pennata (Müller), p. 53, (Nicidion) sp., p. 53, breeding Caribbean, Allen, M. J.—E. viridis Gray, redescr., p. 184, Haffner, K. von (2).—E. vittata delle Chiaje, (Palola) siciliensis Grube, (Nicidion) curticirrus sp. nov., Chatham Islands, p. 125, Knox, G. A. (2).—E. savignyi Grube, Ceylon, p. 10, Pillai, T. G.

Euros spinicirris Annenkova, note, Kamchatka, p. 85, Imajima, M.—E. iphionoides (McIntosh), Chatham Islands, p. 82, Knox, G. A. (2).

Euphione ornata sp. nov., Chatham Islands, p. 93, Knox, G. A. (2).

Euphionella patagonia Monro, new record, p. 16, robusta sp. nov., p. 17, Chile, Wesenberg-Lund, E.

Euphrosyne borealis Oersted, description of rostraria, p. 815, Mileikovskii, S. A. (2).

(Euphylla) subgen. nov. see Eulalia.

Eupolymnia crassicomis (Schmarda), breeding Caribbean, p. 55, **Allen**, M. J.—E. nebulosa (Montagu), Cape Town, p. 532, **Day**, J. H. (2).

Eurythoe complanata (Pallas), breeding Caribbean, p. 54, Allen, M. J.

Euthalenessa digitata (McIntosh), (syn. oculata McIntosh, fimbriata McIntosh), Chatham Islands, p. 98, Knox, G. A. (2).

Euzonus flabellifera (Ziegelmeier), Scotland, p. 360, McIntyre, A. D. (1).

Exogone uniformis sp. nov. p. 73, California, Hartman, O.

Exogonella gen. nov. (Syllidae), p. 74, type: brunnea sp. nov., p. 74, California, Hartman, O.

Fabricia acuseta sp. nov., p. 113, sabella (Ehrenberg), p. 115, Red Sea, Banse, K. (1).—F. capensis (Monro) n. comb., p. 542, bansei sp. nov., p. 543 fig., near Cape Town, Day, J. H. (2).—F. sabella (Ehr.), development, p. 80, Lewis, D. B.—F. sabella Ehr., Bulgarian coast Black Sea, p. 116, Marinov, T. (1).

Fabricola ghardaqa sp. nov., Red Sea, p. 114, Banse, K. (1).

Flabelligera affinis Sars, redescr., Cape Town, p. 505 fig. Day, J. H. (2).—F. essenbergae nom. nov. pro Stylariodes papillosa Essenberg, p. 118, Hartman, O.

Ficopomatus capensis sp. nov., near Cape Town, p. 552, Day, J. H. (2).

Filograna implexa Berkeley, Cape Town, p. 553, Day, J. H. (2).

Gattyana pohaiensis sp. nov., Yellow Sea, p. 14, Uschakov, P. & Wu, B. L. (1).

Glyera sphyrabrancha Schmarda, breeding Caribbean, p. 53, Allen, M. J.—G. onomichiensis Izuka, Bering Sea, p. 153, Levenstein, R. J. (4).—G. alba Müller, p. 356, rouxii Audouin & Milne-Edwards, p. 356, Scotland, McIntyre, A. D. (1).—G. rouxii Audouin & M. Edwards, Ceylon, p. 9, Pillai, T. G.

Glycinde lindbergi Uschakov, Bering Sea, p. 153, Levenstein, R. J. (4).

Glyphanostomum pallescens (Theel), Bering Sea, p. 168, Levenstein, R. J. (4).

Goniada key to New Zealand spp., p. 138, brunnea Treadwell, p. 136, emerita Audoiun & Edwards, p. 136, Knox, G. A. (2).—G. maculata Oersted, Bering Sea, p. 153, Levenstein, R. J. (4).

Grubea limbata Claparede, Bulgarian coast Black Sea, p. 109, Marinov, T. (1).

Gunnarea capensis (Schmarda), Cape Town, p. 525, Day, J. H. (2).

Gyptis incompta Ehlers, new record, Chile, p. 48, Wesenberg-Lund, E.

Halosydna johnsoni (Darboux), redescr., Peru, p. 6, Hartmann-Schroder, G. (2).—H. brevisetosa Kinberg, new record, Chile, p. 14, Wesenberg-Lund, E.

Haploscoloplos fragilis (Verrill), larval development, p. 257, Anderson, D. T.—H. kerguelensis (McI.), Cape Town, p. 477, Day, J. H. (2).

Harmothos Kinberg, key to spp., p. 48, priops sp. nov., p. 50, California, Hartman, O.—H. lumulata fauveli subsp. n., Corsica, p. 277, Bellan, G. (2).—H. crosstensis (McIntosh), Chatham Islands, p. 83, Knox, G. A. (2).—H. imbricata Linnaeus, development, p. 339, Konstantinova, M. I.—H. pellucelytris Uschakov, Bering Sea, p. 152, Levenstein, R. J. (4).

Hemipodus triannulatus sp. nov., p. 13, biannulatus sp. nov., p. 15, Peru, Hartman-Schröder, G. (2).—
H. digitifera sp. nov., Chatham Islands, p. 134, Knox, G. A. (2).

Hermodice carunculata (Pallas), breeding Caribbean, p. 54, Allen, M. J.

Hesperonoe Chamberlin, key to spp., p. 46, laevis sp. nov., p. 47, California, Hartman, O.—H. hwanghaiensis sp. nov., Yellow Sea, p. 15, Uschakov, P. & Wu, B. L. (1).

Heteromastides platyproctus sp. nov., Ceylon, p. 27, Pillai, T. G.

Heteromastus deductus sp. nov., Ceylon, p. 29, Pillai, T. G.

Hyalinoecia tubicola Malmgren, anatomy, p. 132, Haffner, K. von (1).

Hyboscolex, ? to include reticulata (McIntosh), p. 516, longiseta, Cape Town, p. 516, Day, J. H. (2).

Hydroides norvegica (Gunnerus), p. 549, dipoma (Schmarda), p. 550, Cape Town, Day, J. H. (2)—H. tambalagamensis sp. nov., Ceylon, p. 36, Pillai, T. G.—H. norvegica (Gunnerus), settlement, p. 1, Reish, D. J. (1).

Hypsicomus capensis sp. nov., near Cape Town, p. 537 fig., Day, J. H. (2).

Jasmineira elegans St. Joseph, Cape Town, p. 542, Day, J. H. (2).—J. filatovae sp. nov., Bering Sea, p. 173, Levenstein, R. J. (4).

Johnstonia knysna Day, Cape Town, p. 521, Day, J. H. (2).

Lastmonice filicomis Kinberg, Skagerrak, Denmark, p. 215, Kirkegaard, J. B.

Lanassa capensis Day, Cape Town, p. 537, Day, J. H. (2).

Lanice conchilega (Pallas), ecology, p. 209, Amoureux, L.—L. wollebaeki Caullery, Cape Town, p. 533, Day, J. H. (2).

Laonics cirrata (Sars), Cape Town, p. 484, Day, J. H. (2).—L. Malmgren, key to larvae, N. Atlantic, p. 8 fig., Hannerz, L.—L. brevicristata sp. nov., Ceylon, p. 24, Pillai, T. G.

Leiochone borealis Arwidsson, Bering Sea, p. 163, Levenstein, R. J. (4).

Lepidametria brunnea sp. nov., Chatham Islands, p. 91, Knoz, G. A. (2).

Lepidasthenia platylepsis sp. nov., Chatham Islands, p. 93, Knox, G. A. (2).—L. maculata Potts, Ceylon, p. 167, Silva, P. H. D. H. de (2).

Lepidonotus ambigua sp. nov., p. 89, purpureus Potts (syn. hedleyi Benham), p. 91, Chatham Islands, Knox,

G. A. (2).—L. jukesi (Baird), p. 164, squamatus (Linn aeus), p. 166, Ceylon, Silva, P. H. D. H. de (2).

Loimia medusa (Savigny), Cape Town, p. 533, Day, J. H. (2).—L. decora sp. nov., Ceylon, p. 33, Pillai, T. G

Longosoma sp. innom. sp. nov., New Zealand, p. 1131, Knox, G. A. (1).

Lopadorhynchus uncinatus Fauvel, northeast Pacific, p. 788, Berkeley, E. & C.

Lumbriconereis latrelli japonica Marenzeller, p. 156, abyssicola Uschakov, p. 156, bifurcata McIntosh, p. 157, bistriata sp. nov., p. 157, Bering Sea, Levenstein, R. J. (4).

Lumbrineris biuncinata sp. nov., p. 26, lobata sp. nov., p. 28, annulata sp. nov., p. 30, Peru, Hartmann-Schröder, G. (2).—L. coccinea (Renier), p. 356, impatiens (Claparède), p. 356, Scotland, McIntyre, A. D. (1).—L. pseudopolydesma sp. nov., p. 18, emandibulata sp. nov., p. 20, Ceylon, Pillai, T. G.—L. heteropoda (Marenzeller), p. 113, breuicirva (Schmarda), p. 114, new records, Chile, Wesenberg-Lund, E.

Lycastopsis Augener, key to spp., p. 61, hummelincki Augener, note, p. 58, Bois-Reymond Marcus, E. du.

Lygdamis robinsi sp. nov., p. 17, Congo, Jeldes, F. & Lefevere, S.

Lysidice sp., breeding Caribbean, p. 54, Allen, M. J.

Lysilla pacifica Hessle, Bering Sea, p. 172, Levenstein,
R. J. (4).

Lysippe agulhasensis sp. nov. fig., p. 529, capensis sp. nov., p. 530 fig., near Cape Town, Day, J. H. (2).

Macellicephala abyssicola Fauvel, Bering Sea, p. 151, Levenstein, R. J. (4).

Macroclymene saldanha (Day), n. comb., p. 520, sp., p. 521, Cape Town, Day, J. H. (2).

Magalia perarmata Marion & Bobr, regeneration, p. 3736, Abeloos, M. & Thouveny, Y.

Magelona papillicornis Muller, redescr., p. 494, cincta Ehlers, p. 494, capensis sp. nov., p. 495, Cape Town Day, J. H. (2)—M. sacculata sp. nov., p. 101, California, Hartman, O.—M. alleni Wilson, Scotland, p. 359, McIntyre, A. D. (1).

Maldanidae, Cape Town, p. 524, Day, J. H. (2).

Maldane sarsi Malmgren, Cape Town, p. 523, Day, J. H. (2).

Maldanella capensis sp. nov., near Cape Town, p. 523 fig., Day, J. H. (2).—M. harai (Izuka), Bering Sea, p. 164, Levenstein, R. J. (4)

Malmgrenia ampulliferoides sp. nov., Yellow Sea, p. 13, Uschakov, P. & Wu, B. L. (1).

Marphysa Quatrefages, key to spp., p. 80, disinucla sp. nov., p. 81, California, Hartman, O.—M. sanguinea (Montagu), p. 12, borradailei Pillai, p. 13, Ceylon, Fillai, T. G.—M. corallina Kinberg, Ceylon, p. 179, Silva, P. H. D. H. de (2).

Mediomastus capensis sp. nov. near Cape Town, p. 518 fig., Day, J. H. (2).

Melinna ochotica Uschakov, cristata (Sars), p. 167, Bering Sea, Levenstein, R. J. (4).

Melinnampharete eoa Annenkova, Bering Sea, p. 168, Levenstein, R. J. (4).

Melinnexis annenkovae Uschakov, Bering Sca, p. 168, Levenstein, R. J. (4). 13),

lai.

31,

p.

56,

57,

. J.

nn-

iens

v.,

er),

rds,

acki

du. &

J.

in,

sp.

51,

р.,

p.

wn ali-

p.

23

p.

13,

nea

ai.

/2,

p.

67,

68,

68,

Mercierella enigmatica Fauvel, Bulgarian coast Black Sca, p. 116, Marinov, T. (1).

Mesochaetopterus lasvis sp. nov., Peru, p. 35, Hart-mann-Schröder, G. (2).

Microclymene tricirrata Arwidsson, Bering Sea, p. 163, Levenstein, R. J. (4).

Micronephthys stammeri (Augener), redescr. northern Adriatic, p. 302 fig., Banse, K. (2).

Micronereis eniwetokensis sp. nov., Marshall Islands, p. 273, Reish, D. J. (2).

Microphthalmus similis Bobretzky, northern Adriatic, p. 298, Banse, K. (2).—M. fragilis Bobr., p. 109, similis Bobr., p. 110, Bulgarian coast Black Sea, Marinov, T. (1).

Microspio Mesnil, key to larvae, N. Atlantic, p. 9 fig.,

Mystides limbata Saint-Joseph, Bulgarian coast Black Sea, p. 108, Marinov, T. (1).

Myxicola infundibulum (Renier), Cape Town, p. 542, Day, J. H. (2).

Naineris leavigata (Grube), Cape Town, p. 475, Day, J. H. (2).—N. quadricuspida (Fabricius), p. 85, California, Hartman, O.—N. brevicephala sp. nov., Peru, p. 32, Hartmann-Schröder, G. (2).

Nanalycastis meraukensis zeylanica subsp. nov., Ceylon, p. 172, Silva, P. H. D. H. de (2).

Namanereis hummelincki (Augener) see Lycastopis, p. 62, Bois-Reymond Marcus, E. du.

Neanthes articulate sp. nov., Chatham Islands, p. 122, Knox, G. A. (2).

Neoamphitrite sp. Congo, p. 34, Jeldes, F. & Lefevere,

Neovermilia gen. nov. (Serpulidae) defined, p. 551, type: capensis sp. nov., p. 551, near Cape Town, Day, J. H. (2).

Nephthys paradoxa Malmgren, Mediterranean, p. 265, Bellan, G.—N. multicirrata sp. nov., Peru, p. 17, Hartmann-Schröder, G. (2).—N. brachycephala Moore, Bering Sca, p. 155, Levenstein, R. J. (4).—N. cirrosa Ehlers, p. 354, paradoxa Malm., p. 355, incisa Malmgren, p. 355, hystricis McIntosh, p. 355, Scotland, McIntyre, A. D. (1).—N. macroura (Schmarda), new record, Chile, p. 95, Wesenberg-Lund, E.

Nereis allenae (Pettibone), p. 53, riisei Grube, p. 50, sp., p. 52, breeding Caribbean, Allen, M. J.—N. diversicolor O. F. Muller, ecology, p. 209, Amoureux, L.—N. callaona (Grube), Peru, p. 19, Hartmann-Schröder, G. (2).—N. delli sp. nov., p. 117, mitipoda sp. nov., p. 119, Chatham Islands, Knox, G. A. (2).—N. (Ceratonereis) beringiana sp. nov., Bering Sea, p. 153, Levenstein, R. J. (4).—N. (Neauthes) falsa Quatrefages, p. 174, (Ceratonereis) mirabilis Kinberg, p. 174, Ceylon, Silva, P. H. D. H. de (2).

Nerine Mesnil, key to larvae, N. Atlantic, p. 7 fig., Hannerz, L.—N. cirratulus (delle Chiaje), Bulgarian coast Black Sea, p. 112, Marinov, T. (1).

Nerindes Johnstone, key to larvae, N. Atlantic, p. 7 figs., Hannerz, L.—N. gilchristi sp. nov., near Cape Town, p. 491 fig., Day, J. H. (2).—N. maculata sp. nov., p. 91, pigmentata (Reish), n. comb., p. 92, California, Hartman, O.—N. williami sp. nov., p. 183, knightjonesi sp. nov., p. 184, Ceylon, Silva, P. H. D. H. de (2).

Nicolea macrobranchiala (Schmarda), p. 532, venustula (Montagu), p. 532, Cape Town, quadrilobata Augener, transf. to Pista, p. 532 fig., Day, J. H. (2).

Nicomache lumbricalis (Fabricius) [syn. microcephala (Schmarda)], n. comb., Cape Town, pp. 520, 521, Day, J. H. (2).

Nothria iridescens (Johnson), p. 109, pallida Moore, p. 110, new records, Chile, Wesenberg-Lund, E.

Notomastus latericus Sars, p. 519, aberans Day, p. 519, Cape Town, Day, J. H. (2).—N. profundus Eisig. Bulgarian coast Black Sea, p. 114, Marinov, T. (1).—N. Sars, key to species, p. 28, ceylonicus sp. nov., p. 28, Ceylon, Pillai, T. G.

Notophyllum imbricatum Moore, Chatham Islands, p. 113, Knox, G. A. (2).

Notoproctus oculatus Arwidsson, Bering Sea, p. 163, Levenstein, R. J. (4).

Notopygos crinita Grube, breeding Caribbean, p. 54, Allen, M. J.

Odontosyllis phosphorea Moore, (syn. Hesperalia californiensis Chamberlin), taxonomic note, p. 76, Hartman, O.—O. maoriora sp. nov., Chatham Islands, p. 107, Knox, G. A. (2).

Onuphis multidentata sp. nov., Peru, p. 24, Hartmann-Schröder, G. (2).—Ö. (Nothria) iridesens (Johnson), p. 129, proalopus Chamberlain, p. 128, Chatham Islands, Knox, G. A. (2).—O. (Nothria) pysnobranchiata McIntosh, Bering Sea, p. 155, Levenstein, R. J. (4).

Ophelia bicornis Savigny, (syn. O. radiata Delle Chiaje, O. r. var. barquii Fauvel, O. taurica Bačescu) defined, p. 538, Bellan, G. (4).—O. africana Tebble, p. 513, agulhana sp. nov., p. 515, capensis Kirkegaard, p. 514, anomala sp. nov., p. 515, acuminata Oersted, p. 515, near Cape Town, Day, J. H. (2).—O. bicornis Savigny, Bulgarian coast Black Sea, p. 114, Marinov, T. (1).—O. rathkei McIntosh, general account Scotland, p. 729, Scott, A.

Ophryotrocha Claparède & Mecznikow, (syn. Paractius Levinson & Eteonopsis Eesmark), redef., p. 181, Pettibone, M. H.—O. baccii sp. nov., p. 438, hartmanni Huth, redescr., p. 440, pueriis siberti subsp. nov., p. 444, Mediterranean, Parenti, U.—O. pueriis Claparède & Metchnikow, new record, Chile, p. 119, Wesenberg-Lund, E.

Orbinia angrapequensis (Aug.), p. 476, bioreti (Fauvel), p. 476, Cape Town, dubia Day transf. to Scolaricia, p. 481, Day, J. H. (2).

Oridia capensis Monro transf. to Fabricia, p. 542, Day, J. H. (2).

Oriopsis Caullery and Mesnil, syst. note, key to southern African species, p. 543, parvula Ehlers, p. 545, bansei sp. nov., p. 546, neglecta Banse, p. 546 fig., ehlersi sp. nov., p. 546 fig., eimeri (Langerhans), p. 547 fig., near Cape Town, Day, J. H. (2).—O. armandi (Claparède), Red Sea, p. 115, Banse, K. (1).

Orseis lagunae sp. nov., p. 64, California, Hartman, O.

Owenia fusiformis Delle Chiaje, Cape Town, p. 519, Day, J. H. (2).—O. lobopygidiata Uschakov, Bering Sea, p. 166, Levenstein, R. J. (4).

Oxydromus arenicolus glabrus subsp. nov., p. 68, brunnea sp. nov., p. 69, California, Hartman, O.

Paleonotus chrysolepis Schmarda, new record, Chile, p. 34, Wesenberg-Lund, E.

Panthalis novaezealandiae sp. nov., Chatham Islands, p. 81, Knox, G. A. (2).—P. oerstedi Kinberg, Scotland, p. 353, McIntyre, A. D. (1).

Papilliodorvillea nom. nov. (Dorvilleidae) pro Anisoceras Grube, 1856 (non Dejean, 1833), type: rubra Grube, def., p. 181, Pettibone, M. H.

Parahesione Pettibone, emend., p. 176, bruneli sp. nov., Gulf of St. Lawrence, p. 176, Pettibone, M. H.

Paramphinome pulchella Sars, Scotland, p. 353, McIntyre, A. D. (1).

Paraonis platybranchia sp. nov., p. 86, California, Hartman, O.—P. fulgens (Levinsen), p. 357, gracilis gracilis (Tauber), p. 357, gracilis oculata Hartman, p. 357, lyra Southern, p. 358, Scotland, McIntyre, A. D. (1).

Parasclerocheilus capensis sp. nov., near Cape Town, p. 517 fig., Day, J. H. (2).

Parasyllidea gen. nov. (Hesionidae), p. 173 type : humesi sp. nov., p. 173, Congo, Pettibone, M. H.

Pareurythoe americana Hartman, eastern Mexico, p. 224, Rioja, E.

Peakosyllis Hartmann-Schröder, taxonomic note, p. 119, Weinstein, F.

Pectinaria capensis (Pallas), p. 525, (Lagis) neapolitana Claparède (syn. pseudokoreni Day), p. 525, Cape Town, Day, J. H. (2).

Pedinosoma curtem Reibish, northeast Pacific, p. 789, Berkeley, E. & C.

Pelagobia longicirrata Greef, northeast Pacific, p. 788, Berkeley, E. & C.

Perinereis nuntia vallata Grube, Ceylon, p. 7, Pillai, T. G.—P. cultrifera brevicirris (Grube), p. 175, cultrifera ceylonica subsp. nov., p. 176, nigropunctala Horst, p. 176, Ceylon, Silva, P. H. D. H. de (2).

Petaloproctus tenuis (Theel), Bering Sea, p. 163, Leven-stein, R. J. (4).

Phalacrophorus pictus Greef, Barents Sea, p. 1099,

Mileikovsky, S. A. (1).

Pherecardia polylamellata sp. nov., Ceylon, p. 170, Silva, P. H. D. H. de (2).

Pherusa monroi (Day), redescr., p. 505, laevis (Stimpson), redescr., p. 506, suakopiana (Aug.), redescr., p. 506, saldanha sp. nov., p. 508, near Cape Town, Day, J. H. (2).—P. neopapillata sp. nov., p. 121, California, Hartman, O.

Pholos glabra sp. nov., p. 51, California, Hartman, O.—P. minuta caeca Uschakov, Bering Sea, p. 152, Levenstein, R. J. (4).—P. minuta Fabricius, new record, Chile, p. 34, Wesenberg-Lund, E.

Phragmatopoma moerchi Kinberg, Peru, p. 38, Hartmann-Schröder, G. (2).

Phyllochaetopterus claparedii McIntosh, N.W. Pacific, p. 1208, Dales, R. P. (2).—P. elioti Crossland, p. 497, socialis Claparède, p. 497, Cape Town, Day, J. H. (2).

Phyllodoct latrifrons sp. nov., Peru, p. 8, Hartmann-Schröder, G. (2).—P. mernoensis sp. nov., (Genetyllis) gracilis Kinberg, (syn. ovalifera Augener), Cha'ham Islands, p. 111, Knox, G. A. (2).—P. mucosa Oerste, Bulgarian coast Black Sea, p. 108, Marinov, T. (1).—P. chinensis sp. nov., p. 5, papillosa sp. nov., p. 5, Yellow Sea, Uschakov, P. & Wu, B. L. (1).—P. bulbosa sp. nov., p. 40, bowersi Benham, p. 40, (Anaitides) patagonica (Kinberg), p. 44, new records, Chile, Wesenberg-Lund. E. berg-Lund, E.

Phyllohartmannia gen. nov. (Polynoidae), p. 170, type: taylori sp. nov., p. 171, Florida, Pettibone, M. H.

Phyllosheila gen. nov. (Polynoidae), p. 168, type : wigleyi sp. nov., p. 168, Massachusetts, Pettibone, M. H.

Phylo foetida var. ligustica (Orlandi), p. 476, capensis sp. nov., p. 476, Cape Town, Day, J. H. (2).—P. norvegicus (Sars), Scotland, p. 357, McIntyre, A. D. (1).

Pionosyllis cosma Gravier, p. 106, chlersiaeformis Augener, p. 106, stylifera Ehlers, p. 106, Chatham Islands, Knox, G. A. (2).—P. comosa Gravier, p. 61, nutrix Monro, p. 62, new records, Chile, Wesenberg-Lund, E.

Piromis Kinberg, redef., p. 508, eruca Clap. n. comb., p. 509, fernandense Aug. n. comb., p. 509, arenosus Kinberg, p. 509, sp., p. 509, Cape Town, Day, J. H. (2).—P. Kinberg, taxonomic note, p. 122, americana (Monro) n. comb., p. 123, gracilis sp. nov., p. 123, California, capensis (McIntosh) n. comb., p. 123, South Africa, roberti (Hartman) n. comb., p. 123, Gulf of Marion. Mexico, Hartman, O.

Pista foligera Caullery, p. 533, qolora Day, p. 533, Cape Town, quadrilohata (Augener) n. comb., p. 532 fig., Day, J. H. (2).—P. cristata (Müller), p. 171, incarrientis Annenkova, p. 171, Bering Sea, Levenstein, R. J. (4).

Plakosyllis americana sp. nov., p. 75, California, Hartman, O.

Platynereis dumerilii (Audouin & M. Edwards), breeding Caribbean, p. 52, Allen, M. J.

Poecilochaetus serpens Allen, Cape Town, p. 497, Day, J. H. (2).—P. Claparède, larvae, N. Atlantic, p. 12, Hannerz, L.

Podarkeopsis gen. nov. (Hesionidae), p. 211, type : galangaui sp. nov., Mediterranean, p. 212, Laubier, L. (1).

Polycirrus plumosus Wollebaek, p. 535 fig., temuisetis Langerhans, p. 535, haematodes (Claparède), p. 535, Cape Town, **Day**, J. H. (2).

Polydora Bosc., key to larvae, N. Atlantic, p. 10 fig., Hannerz, L.—P. giardi Mesnil, Cape Town, p. 493 fig., Day, J. H. (2).—P. neocardalia sp. nov., p. 96, California, Hartman, O .- P. euryhalina sp. nov., Peru, p. iornia, nartman, O.—P. euvyaaina sp. nov., Feru, p. 33, Hartmann-Schröder, G. (2).—P. ciliata (Jonston), Bulgarian coast Black Sea, pl 111, Marinov, T. (1).—P. rickettsi sp. nov., California, p. 78, Woodwick, K. H.

Polyeumoa laevis McIntosh, Chatham Islands, p. 85, Knox, G. A. (2).

Polynoe kinbergi (Malmgren), Scotland, p. 353, McIntyre, A. D. (1).—P. (Enipo) paulovskii sp. nov. Terpenye Bay, Sachalin, Russia, p. 170, Ushakov, P. V.

Polyphysia crassa (Oersted), Cape Town, p. 516, Day, J. H. (2).

Pontodora pelagica Greef, northeast Pacific, p. 788, Berkeley, E. & C.

Potamilla reniformis (Muller), p. 539, torelli Malmgren, Totamuta renigerius (Muller), p. 539, teretti Malingren, p. 539, linguicollaris sp. nov., p. 539 fig., near Cape Town, Day, J. H. (2).—P. anophthalma sp. nov., Peru, p. 41, Hartmann-Schröder, G. (2).—P. abyssicola Uschakov, Bering Sea, p. 173, Levenstein, R. J. (4).—P. brevithoracica sp. nov., Ceylon, p. 35, Pillai, T. G.

Praegeria remota Southern, Bulgarian coast Black Sea, p. 107, Marinov, T. (1).

Praxillella gracilis orientalis Zachs, Bering Sea, p. 164, Levenstein, R. J. (4).

1

pe:

ne,

nsis

(1). ner.

p.

ıb.,

osus H.

23, uth

ape

fig.,

ntis

(4).

nia,

ed-

12,

er,

setis

35,

ig., alip.

n), H.

85,

53,

ov.

ay,

88,

en.

ape

cola

iea.

64,

Prionospio Malmgren, key to larva, N. Atlantic, p. 9 fig., Hannerz, L.—P. pinnata Ehlers, p. 485, saldanha sp. nov., p. 485, cirrifera Wiren, p. 487, cirrobranchiata sp. nov., p. 488, malmgreni var. dubia var. nov. (syn. ? capensis McI.), p. 489, sexoculata Augener, p. 490, Cape Town. Day, J. H. (2).—P. pygmaeus sp. nov., p. 93, California, Hartman, O.—P. cirrifera Wiren, Scotland, p. 359, McIntyre, A. D. (1).—P. malmgreni Claparède, p. 112, cirrifera Wiren, p. 113, Bulgarian coast Black Sea, Marinov, T. (1).

Protodorvillea gen. nov. (Dorvilleidae), p. 178, (type: Staurocephalus kefersteini McIntosh), gaspeensis sp. nov., Gulf of St. Lawrence, p. 178, kefersteini (McIntosh) n. comb., p. 179, atlantica (McIntosh) n. comb., p. 179, egena (Ehlers) n. comb., p. 179, gracilis (Hartman) n. comb., p. 179, mandapamae (Banse) n. comb., p. 179, Pettibone, M. H.

Protula bispiralis (Savigny), p. 553, tubularia (Martini), p. 553, Cape Town, **Day**, J. H. (2).—P. tubularia (Montagu), early development, p. 53, **Tampi**, P. R. S.

Psammolyce semiglabra Monro, Chatham Islands, p. 95, Knox, G. A. (2).

Pseudeurythoe minuta sp. nov., Chatham Islands, p. 80, Knox, G. A. (2).

Pseudoampharete gen. nov., (Ampharetidae), p. 38, type: tentaculata sp. nov., p. 39, Peru, Hartmann-Schröder, G. (2).

Pseudonereis anomala Gravier, Ceylon, p. 177, Silva, P. H. D. H. de (2).

Pseudoscalibregma longisetosum (Théel), Bering Sea, p. 161, Levenstein, R. J. (4).

Pterampharete luderitzi Augener, Cape Town, p. 527,

Day, J. H. (2).

Pycnoderma fernandense Aug. transf. to Piromis, p. 509, Day, J. H. (2).

Pygospio Claparède, larvae, N. Atlantic, p. 10 fig., Hannerz, L.—P. elegans Clap., Cape Town, p. 485, Day, J. H. (2).—P. elegans Claparède, Bulgarian coast Black Sea, p. 111, Marinov, T. (1).

Ranzania capensis McI. transf. to Ranzanides, p. 498, Day, J. H. (2).

Ranzanides capensis (McI.) n. comb. Cape Town, p. 498, Day, J. H. (2).

Raricirrus gen. nov. (Cirratulidae), p. 114, type : maculata sp. nov., p. 114, California, Hartman, O.

Rhodine gracilior Arwidsson, Cape Town, p. 524, Day, J. H. (2).—R. loveni Malmgren, Scotland, p. 361, McIntyre, A. D. (1).

Rhynchospio glutaea (Ehlers), Cape Town, p. 491, Day, J. H. (2).

Sabella melanastigma Schmarda, breeding Caribbean, p. 56, Allen, M. J.—S. penicillus Linnaeus, Cape Town, p. 537, Day, J. H. (2).

Sabellaria spinulosa alcocki Gravier, Cape Town, p. 525, spinulosa fucicola Augener, n. comb., syst. note, p. 525, Day, J. H. (2).—S. chandraas sp. nov., Ceylon, p. 188, Silva, P. H. D. H. de (2).

Sabellastarte magnifica (Shaw), breeding Caribbean, p. 55, Allen, M. J.—S. longa (Kinberg), Cape Town, p. 539, Day, J. H. (2).

Sabellides cepensis sp. nov., p. 528 fig., octocirrata (Sars), p. 528, near Cape Town, Day, J. H. (2).

Sagitella kowalewskii Wagner, northeast Pacific, p. 789, Berkeley, E. & C.

Samytha sexcirrata (Sars), Scotland, p. 361, McIntyre, A. D. (1).

Samythella bathycola Uschakov, Bering Sea, p. 169, Levenstein, R. J. (4).

Scalibregma inflatum Rathke, Cape Town, p. 516, Day, J. H. (2).

Scolaricia capensis sp. nov., p. 480, dubia (Day) n. comb., p. 481, Cape Town, Day, J. H. (2).

Scolelepis Blainville, key to larvae, N. Atlantic, p. 7 fig., Hannerz, L.—S. indica Fauvel, Cape Town, p. 492, Day, J. H. (2).

Scoloplos johnstonei Day, p. 477 (Leodamus) uniramus sp. nov., p. 477, armiger Muller, p. 479, dayi Pettibone, syn. of dubia (Day), p. 481, Cape Town, Day, J. H. (2).—S. deporteri sp. nov., p. 26, Congo, Jeldes, F. & Lefevere, S.—S. (Scoloplos) massupialis Southern, p. 22, (Leodamus) gracilis sp. nov., p. 22, Ceylon, Pillai, T. G.

Scyphoproctus Gravier, key to species, p. 17, platyproctus sp. nov., Gulf of Mexico, p. 10, Jones, M. L. (2).

Serpula vermicularis echinata Linnaeus, Mediterranean, p. 288, **Bellan**, G. (2), p. 175, **Bellan**, G. (3), S. v. echinata Linnaeus, Cape Town, p. 549, **Day**, J. H. (2).

Sigalion ovigerum Monro, Chatham Islands, p. 95, Knox, G. A. (2).—S. ovigerum Monro, new record, Chile, p. 28, Wesenberg-Lund, E.

Skardaria fragmentata Wesenberg-Lund, p. 87, California, Hartman, O.—S. fragmentata Wesenberg-Lund, Scotland, p. 358, McIntyre, A. D. (1).

Sphaerodoridium gen. nov. (Sphaerodoridae), type: claparedi (Greef), p. 415, commensalis sp. nov., Sweden, p. 409, Lützen, J.

Sphaerodorum Oersted, key to California spp., p. 79, Hartman, O.—(syn. Ephensia Rathke), reviewed, p. 414, Lützen, J.—S. parvum Ehlers, new record, Chile, p. 106, Wesenberg-Lund, E.—S. balticum Reimers, note, southern Baltic, p. 83, Siudzinski, K. & Zmudsinski, L.

Sphaerosyllis erinaceus Claparède, Barents Sea, p. 1099, Mileikovsky, S. A. (1).—S. sublaevis Ehlers, new record, Chile, p. 65, Wesenberg-Lund, E.

Spio Fabricius, key to larvae, N. Atlantic, p. 9 fig., Hannerz, L.—S. punctata sp. nov., p. 89, California, Hartman, O.

Spiochaetopterus typicus M. Sars, Scotland, p. 359, McIntyre, A. D. (1).—S. typicus Sars, Bering Sea, p. 158, Levenstein, R. J. (4).

Spiohanes Grube, key to larvae, N. Atlantic, p. 8 figs., Hannerz, L.—S. söderströmi Hartman, p. 484, bombyx (Clap.), Cape Town, p. 485, Day, J. H. (2).—S. kroyeri Grube, Scotland, p. 359, McIntyre, A. D. (1).

Spirobranchus tricornis (Mörch), breeding Caribbean, p. 56, Allen, M. J.

Spirorbis (Paralaeospira) patagonicus Caullery & Mesnil, p. 555, (Paralaeospira) capensis sp. nov., p. 555 fig., foraminosus Moore & Busch, p. 556 fig., (Laeospira) sp., p. 557 fig., near Cape Town, Day, J. H. (2).—S. (Dexiospira) pagenstecheri Quatrefages, p. 190, (Laeospira) papillatus Pixell, p. 191, Ceylon, Silva, P. H. D. H. de (2).

Staurocephalus kefersteini McIntosh, Bulgarian coast Black Sea, p. 111, Marinov, T. (1).

Stauronereis Verrill, (syn. Prionognathus Keferstein), redif., p. 181, Pettibone, M. H.

Steggoa peruana sp. nov., Peru, p. 10, Hartmann-Schröder, G. (2).

Sterblospio shrubsolii (Buchanan), Bulgarian coast Black Sea, p. 113, Marinov, T. (1).

Sternaspis scutata (Renier), Cape Town, p. 520, Day, J. H. (2).

Sthenelais koepecki sp. nov., Peru, p. 2, Hartmann-Schröder, G. (2).—S. chathamensis sp. nov., Chatham Islands, p. 97, Knex, G. A. (2); S. variabilis hirsuta Potts, Ceylon, p. 168, Silva, P. H. D. H. de (2).—S. fusca Johnson, new record, Chile, p. 32, Wesenberg-Lund, E.

Shenelanella uniformis Moore, (syn. atypica Berkeley & Berkeley), taxonomic note, p. 54, Hartman, O.

Streblosoma bairdi (Malmgren), Bering Sea, p. 172, Levenstein, R. J. (4).

Steschapovella gen. nov., p. 228, type: tatjanae sp. nov., Bering Sea, p. 289, Levenstein, R. J. (1) & p. 172, Levenstein, R. J. (4).

Stylaroides papillosa Essenberg, transf. to Flabelligera essenbergi nom. nov., p. 118, Hartman, O.

Syllis (Typosyllis) tristanensis Day (syn. brachychaeta Monro), p. 101, attenuata sp. nov., p. 101, corsucans Haswell, p. 103, (Ehlersia) anops Ehlers, p. 103, Chatham Islands, Knox, G. A. (2).—S. gracilis Grube, Bulgarian coast, Black Sea, p. 108, Marinov, T. (1).—S. magdalena sp. nov., Chile, p. 55, Wesenberg-Lund, E.

Tambalagamia gen. nov. (Nereidae), p. 2, type: fauveli sp. nov., p. 3, Ceylon, Pillai, T. G.

Telepsavus eostarum Clap., Cape Town, p. 498, Day, J. H. (2).

Terebella pterochaeta Schmarda, p. 531, schmardaei Day, p. 532, Cape Town, Day, J. H. (2).

Terebellides stroemi Sars, Cape Town, p. 537, Day J. H. (2).

Thalenessa spinosa asiatica subsp. nov., Yellow Sea, p. 17, Uschakov, P. & Wu, B. L. (1).

Thelepus setosus (Quatrefages), breeding Caribbean, p. 54, Allen, M. J.—T. pequenianus Augener, p. 536, trisrialis (Grube), p. 536, plagiostoma (Schmarda), p. 536, Cape Town, Day, J. H. (2).

Thelothelepus capensis Day, Cape Town, p. 536, Day, J. H. (2).

Tharyx multibranchis (Grube), p. 360, marioni (Saint-Joseph), p. 360, Scotland, McIntyre, A. D. (1). Thyrax [sic] dorsobranchialis Kirkegaard, p. 501, filibranchia sp. nov., p. 503, marioni (Saint Joseph), p. 503, Cape Town, Day, J. H. (2).

Tomopteris planktonis Apstein, new record, Chile, p. 51, Wesenberg-Lund, E.

Travisia forbesii Johnston, Cape Town, p. 512, Day, J. H. (2).—T. pupa Moore, Bering Sea, pl 162, Levenstein, R. J. (4).

Trichobranchus glacialis Malmgren, Cape Town, p. 536, Day, J. H. (2).

Trophonia eruca Clap. transf. to Piromis, p. 509, Day, J. H. (2).—T. wywillei McIntosh, Bering Sea, p. 160, Levenstein, R. J. (4).

Trypanosyllis taeniformis (Haswell), new record, Chile, Wesenberg-Lund, E.

Vermiliopsis glandigerus (Gravier), p. 552, pygidialis (Willey), p. 552, Cape Town, Day, J. H. (2).

Vitazia gen. nov. (Phyllodocidae), p. 207, type: dogieli sp. nov. p. 207, northwestern Pacific, Ushakov, P. V. (2).

[Fossil polychaeta see pp. 109-114].

MYZOSTOMIDA

Asteromyzostomum gen. nov., (Myzostomidae), p. 16, Vagin, V. L.

OLIGOCHAETA

Achaeta Vedjovsky, key to spp., p. 129, nielseni sp. nov., p. 126, indica sp. nov., p. 128, southern India, Prabhoo, N. R.

Aeolosoma neiswestnovi Lastockin transf. to Rheomorpha, p. 56, Ruttner-Lolisko, A.

Allolbophora antipai tuberculata (Cernosvitov), a. comb., Czechoslovakia, p. 335, Zajonc, I. (4).—ehlorotica (Savigny), p. 72, new record, Sicily, Omodeo, P. (2).

Amphichaeta sannio Kallstenius, Denmark, p. 11, Dahl, I. O.

Bimastus eiseni (Levinson), p. 72, new record, Sicily, Omodeo, P. (2).

Branchiura sowerbyi Beddard, Oklahoma, p. 223, Evans, K. J.—B. sowerbyi Beddard, Russia, distribution and ecology, p. 605, Sokolskaya, N. L. (1).

Dendrobaena cognettii (Michaelsen), p. 74, doderoi (Cognetti) taxonomic note, p. 73, French Pyrenees, Omodeo, P. (4).—D. byblica Rosa, p. 73, pantalsonis (Chinaglia), p. 73, rubida constricta (Rosa), p. 74, new records, Sicily, Omodeo, P. (2).—D. rubida (Savigny), (syn. Bimasios norugicus Eisen), Greenland, new record, p. 14, Omodeo, P. (1).

Dichogaster decorata sp. nov., p. 136, orobia sp. nov., p. 138, El Salvador, Graff, O.—D. sp., Rennell Is., p. 21, Gates, G. E. (1).

Diplocardia bivesiculata sp. nov., Florida, p. 175, Murchie, W. R. (2).—D. conoyeri sp. nov., Illinois, p. 367, Murchie, W. R. (3).

Eisenia jenensis sp. nov., Jena, p. 52, Füller, H.

Eiseniella neapolitana ninnii Rosa, p. 71, new record, Sicily, Omodeo, P. (2).—E. neapolitana ninnii Rosa, French Pyrenees, p. 88, Omodeo, P. (4).

Ellisodrilus gen. nov. (Branchiobdellidae), p. 170, type: clitellatus sp. nov., Kentucky, p. 170, durbini (Ellis) n. comb. p. 173, Holt, P. C.

Eodrilus salvordorensis sp. nov., p. 120, zilchi sp. nov., p. 122, haffneri sp. nov., p. 124, El Salvador, Graff, O.

Eophila lanzai sp. nov. p. 83, pyrenaica Cognetti (syn. haasi Michaelsen), taxonomic note, p. 82, French Pyrences, Omodeo, P. (4).—E. antipai tuberculata Cernosvitov, Czechoslovakia, p. 281, Zajone, I. (3).

Eudriloides gypsatus Michaelsen, Somalia, p. 185, Sciacchitano, I. (2).

Eudichogaster Mich. redefined, p. 654, ashworthi Gates and prashadi Stephenson (syn. kinneari Gates) redescr. from India, p. 645, Gates, G. E. (2).

(Gracesvelynia) subgen. nov., see Howascolex.

Hemienchytraeus theae sp. nov., southern India, p. 130, Prabhoo, N. R.

ŋ

lialis

pe :

16,

dia,

pha,

leo.

ahl,

ily,

223.

tion

leroi

ees,

onis

ıy), ord,

p.

75,

p.

rd,

sa,

ini

ff,

vn.

ich ata

35,

tes

cr.

10,

Hormogaster pretiosa Michaelsen, French Pyrenees, p. 72, Omodeo, P. (4).

Howascolex (Graceevelynia) subgen. nov., type: Eodrilus tecumumami Mich., p. 118, tecumumami vulcanicus subsp. nov., p. 127, lasiurus sp. nov., p. 129, sauerlandti sp. nov., p. 131, El Salvador, Graff, O.

Ilyodrilus hammoniensis Michaelsen taxonomic note, p. 352, h. subdorsalis subsp. nov., Danube, p. 352, h. sublinearis subsp. nov., Ochrida-See, p. 352, h. supralinearis subsp. nov., Prespa- and Dojran See, p. 352, Hrabe, S. (1).

Lastockinia gen. nov., Aeolosomatidae defined, p. 646, type: Aelosoma nieznestnovae Lastockin, Naidu, K. V.

Limnodrilus helveticus Piguet, p. 56, udekemianus Claparède, p. 54, new records, Kamchatka area, Sokolskaya, N. L. (2).—L. pseudogaster sp. nov., p. 13, newaensis Michaelsen, taxonomic note, p. 16, Denmark, Dahl, I. O.

Lumbricus submontanus Vedjovsky (syn. L. lucsns Waga), taxonomic note, p. 101, **Plisko**, J. D. (1).—L. rubellus Hoffmeister, new record, Greenland, p. 21, **Omodeo**, P. (1).

Michaelsena Ude, taxonomic note, p. 86, glandulifera sp. nov., Sweden, p. 81, Jannson, B.-.O.

Microchaetus brincki sp. nov., Cape Province, p. 11,

Sciacchitano, I. (3).

Microscelis dubius (Fletcher), 70, new record, Scicily,
Omodeo, P. (2).

Paranais litoralis (Müller), morph. note, p. 11, **Dahl,** I. O.—P. sp., new record, Kamachatka area, p. 54, **Sokolskaya**, N. L. (2).

Peloscolex scodraensis sp. nov., p. 347, cernosvitovi sp. nov., p. 349, Greece, Hrabe, S. (1).—P. kamtschaticus sp. nov., p. 56, kurenkovi sp. nov., p. 59, ringulatus sp. nov., p. 61, Kamchatka area, Sokolskaya, N. L. (2).—P. benedini (Udekem), biology and taxonomic note, p. 17, Dahl, I. O.

Pheretima Kinberg, spp. with spermathecal pores near furrow 5/6, p. 304, urceolata (Horst), (syn. bauveanensis Michaelsen), redefined, p. 294, minima (Horst), (syn. humilis Gates), redefined, p. 298, Gates, G. E. (6).—P. esgfatae (Beddard), redescr., p. 7, sp., p. 10, upoluensis (Beddard), p. 10, rennellana sp. nov., p. 11, lavangguana sp. nov., p. 14, montana Kinberg, p. 17, pickfordi sp. nov., p. 18, Rennell Is., Gates, G. E. (1).—P. communissima (Goto & Hatai), Hokkaido, p. 1, Takahashi, T. & Yamaguchi, H.

Plutellus geminatus sp. nov., p. 418, montanus sp. nov., p. 419, rudis sp. nov., p. 420, tenuis sp. nov., p. 422, Burma, campsiaulus Stephenson, redescr., p. 425, kempi Stephenson, redescr., p. 425, variabilis Aiyer, redescr., p. 426, India, Gates, G. E. (3).

Pterodrilus durbini Ellis, transf. Ellisodrilus gen. nov., p. 173, Holt, P. C.

Rheomorpha gen. nov. (Acolosomatidae), type: Acolosoma neiswestmovi Lastockin, p. 56, Ruttner-Lolisko, A.

Rhynchelmis, key to species, pp. 136 & 145, granuensis sp. nov., pp. 131 (& 139), vagensis sp. nov., pp. 133 (& 143), Slovakia, Hrabe, S. (2).

Tubifex dojranensis sp. nov. Greece, p. 342, Hrabe, S. (1).

HIRUDINEA

Acanthobdella peledina Grube, Finland, p. 139, Koli, L. (2).

Arctobdella branchiarum nom. nud., p. 223, Silva, P. H. D. H. de (1).—Arctobdella gen. nov. (Piscicolidae), p. 332, type: branchiarum sp. nov., Iceland, p. 332, Silva, P. H. D. H. de & Kabata, Z.

Austrobdella bilobata sp. nov., Tasmania, p. 198, Ingram, D. M.

Baicaloclepsis Lukin & Ephstein, redef., p. 812, Lukin, E. I. & Epshtein, V. M.

Batracobdella Viguier, 1879 (syn. Dundjibdella Sciacchitano, 1939), p. 230, Caballero y C., E.

Branchellion parkeri Richardson, Tasmania, p. 213, Ingram, D. M.

Codonobdella truncata, Grube, redescr. p. 734, Epshtein, V. M. (2).

Cymatobranchus Selensky, nom. nud., p. 228, Caballero y C., E.

Erpobdella testacea Savigny, life history, p. 164, Mann, K. H. (2).

Glossiphonia Johnson, Australia spp., p. 221, tasmaniensis sp. nov., p. 221, australiensis Goddard, redescr., p. 225, Tasmania, Ingram, D. M.—G. heteroclita striata (Apathy), Afghanistan, p. 187, Sciacchitano, I. (4).

Haementeria (Placobdella) bdellae sp. nov., p. 228, Tasmania, Ingram, D. M.

Helobdella Blanchard, 1896 (syn. Bakedebdella Sciacchitano, 1939), p. 230, Caballero y C., E.

Herpobdelloidea Kaburaki, 1921 (syn. Nematobdella Kaburaki, 1921), p. 238, Caballero y C., E.

Hirudo michaelseni Augener, Tibesti Chad, p. 115, Pawlowski, L.-K. & Jarry, D.-M.; H. medicinalis Linnaeus, distribution Scotland, p. 130, Warwick, T.

Ichthyobdella platycephali sp. nov., Tasmania, p. 208, Ingram. D. M.

Johanssonia kolaensis Selensky, pantopodum (Selensky), abditovesicula Moore, p. 212, taxonomic note, Ingram, D. M.

Limnobdella australis (Bosisto), Tasmania, p. 196, Ingram, D. M.

Oligobdella Moore, reviewed, p. 813, Lukin, E. I. & Epshtein, V. M.

Oligoclepsis Oka., redef., p. 813, Lukin, E. I. & Ephstein, V. M.

Paratorix gen. nov., (Glossiphonidae), p. 812, type: baicalensis (Shchegolev), Baikal, Lukin, E. I. & Epshtein, V. M.

Philaemon grandis sp. nov. p. 193, pungens Blanchard, p. 196, Tasmania, Ingram, D. M.

Piscicola Blainville, 1818 (syn. Ichthyobdella Blainville, 1827), p. 232, Caballero y C., E.—P. fadejewi sp. nov. Danube & western Russia, p. 1644, Epstein, V. M. (3).

Placobdella sp. Tasmania, see Haementeria.—P. pediculata Hemingway, parasitising Aplodinotus grunniens, Oklahoma, p. 53, Branson, B. A.

Pontobdella biannulata sp. nov., p. 102, Antarctic, Moore, J. P.—P. tasmanica (Hickman) redescr., p. 220, Ingram, D. M.

Sanguinothus pinnarum nom. nud., p. 223, Silva, P. H. D. H. de (1).—Sanguinothus gen. nov. (Piscicolidae), p. 344, type: pinnarum sp. nov., N. Wales, p. 344, Silva, P. H. D. H. de & Burdon-Jones, C.

Theromyzon Philipp, 1867 (syn. Dartevillida Sciac-chitano), p. 231, Caballero y C., E.

Torix Bianchard, reviewed, (type of Toricinae subfam. nov.), p. 813, Lukin, E. I. & Epshtein, V.M.

Trachelobdella leptocephali sp. nov., Tasmania, p. 204, Ingram, D. M.

Trachelobdellina gen. nov., p. 104, type: glabra sp. nov., p. 104, Antarctic, Moore, J. P.

Tracheobdella torquata Grube, syst. note, p. 935, Epshtein, V. M. (1).

Trocheta Dutrochet, 1817 (syn. Scaptobdella Blanchard, 1897), p. 238, Caballero y C., E.—T. bykowskii Gedroyc, distribution Scotland, p. 130, Warwick, T.

ECHIURA AND SIPUNCULA

Alomasoma gen. nov., p. 198, nordpacifica sp. nov., Okhotsk, Bering Sea, p. 198, chaetifera sp. nov. Aleutian depression, p. 200, Zenkevitch, L. A. (2).

Bonellia pacifica sp. nov., Kuril-Kamchatka depression, p. 201, chaeta sp. nov. S. Okhotsk Sea, Kuril-Kamchatka depression, p. 202, Zenkevitch, L. A. (2).

Dendrostomum huttoni Benham (syn. signifer Selenka, de Man & Bülow), Chatham Is., p. 164, fuscum sp. nov., South Australia, p. 165, Edmonds, S. J. (1). Golfingia novaezealandiae (Benham), Chatham Is., p. 162, cantabriensis sp. nov., New Zealand, p. 163, Edmonds, S. J. (1).—G. elongata Keferstein, larval development, p. 511, Akesson, B.

Jakobia gen. nov. p. 192, type: birsteini sp. nov., South Kuril-Kamchatka and northern Japan depression, p. 193, Zenkevitch, L. A. (2).

Phascolosoma annulatum Hutton, (syn. scolops mossambicense (Augener) & scolops tasmaniense (Fischer)), New Zealand, p. 160, Edmonds, S. J. (1).—P. microdentigerum (Ten Brocke), West Africa, p. 517, Stephen, A. C. (2).

Ochetostoma baronii (Greef), p. 513, senegalense sp. nov., p. 513, West Africa, Stephen, A. C. (2).

Sipunculus aeneus Baird, redescr., australe (Keferstein), taxonomy, p. 217, Edmonds, S. J. (2).—S. nudus Linneus, West Africa, p. 514, Stephen, A. C. (2).

Siphonosoma marchadi sp. nov., West Africa, p. 515, Stephen, A. C. (2).

Tatjanella gen. nov. (Echiura), grandis sp. nov., puerlis sp. nov., N.W. Pacific, Zenkevitch, L. A. (1).

Vitjazema gen. nov. p. 194, type: ultraabyssalis sp. nov., Kuril-Kamchatka depression, Idzu-Bonin depression, p. 195, aleutica sp. nov., Aleutian depression, p. 197, Zenkevitch, L. A. (2).

Xenosiphon mundanum (Selenka, de Man & Bülow) (syn. maoricus Benham), New Zealand, p. 160, Edmonds, S. J. (1).

PRIAPULIDA

[Transferred to p. 78]